

# EXCEPTIONALLY DURABLE SIDING



LP® SmartSide® Trim & Siding  
Product Guide & Specifications

September 2025    [LPCorp.com](http://LPCorp.com)





LP® SmartSide® ExpertFinish® Lap, Panel & Trim (Board & Batten Style) in Snowscape White; Fascia in Abyss Black

**A beautiful exterior begins here.**

## ABOUT LP® SMARTSIDE® TRIM & SIDING

|                      |    |
|----------------------|----|
| LP® SmartSide® Brand | 04 |
| Durability           | 06 |
| Warranty             | 09 |
| Efficiency           | 10 |
| Sustainability       | 12 |

## OPTIONS

|                                  |    |
|----------------------------------|----|
| LP SmartSide Portfolio           | 14 |
| Textures                         | 15 |
| Primed LP SmartSide Siding       | 16 |
| ExpertFinish® Prefinished Siding | 18 |
| Home Visualizer Tool             | 22 |
| Applications                     | 23 |

## PRODUCTS

|                          |    |
|--------------------------|----|
| Complete Siding Solution | 24 |
| Lap Siding               | 26 |
| Nickel Gap Siding        | 28 |
| Shake Lap Siding         | 30 |
| Soffit                   | 32 |
| Panel & Vertical Siding  | 34 |
| Trim & Fascia            | 36 |
| Accessories              | 38 |

## SPECIFICATIONS

|                   |    |
|-------------------|----|
| Lap Siding        |    |
| 38 Series         | 42 |
| 76 Series         | 46 |
| Nickel Gap Siding | 48 |
| Shake Lap Siding  | 52 |
| Closed Soffit     |    |
| 38 Series         | 54 |
| 76 Series         | 58 |
| 190 Series        | 59 |
| Vented Soffit     | 60 |
| Panel Siding      |    |
| 38 Series         | 64 |
| 76 Series         | 70 |
| 190 Series        | 72 |
| Vertical Siding   | 74 |
| Trim & Fascia     |    |
| 190 Series        | 78 |
| 440 Series        | 82 |
| 540 Series        | 86 |
| Accessories       | 90 |
| Coverage Charts   | 98 |



[LPCorp.com](http://LPCorp.com)

# A REPUTATION OF PERFORMANCE.

Throughout the last 25 years, the LP® SmartSide® brand has earned a reputation as one of the highest-performing and most preferred trim and siding brands on the market due to its Advanced Durability for Longer Lasting Beauty.®



## A SMART CHOICE WITH BENEFITS THAT STACK UP



### Exceptionally Durable

Features engineered wood strand technology and LP's proprietary SmartGuard® process




### Impressively Efficient

Easy to cut, transport, and install, and performs durably on the jobsite – helping you finish faster




LP® SmartSide® ExpertFinish® Lap in Quarry Gray, Vertical Siding and Trim in Quarry Gray, and Trim & Fascia in Snowscape White



### Sustainable

Made with wood, a renewable resource, and verified carbon negative



### Highly Versatile

Available primed or prefinished, in a variety of styles and profiles, and in cedar texture or brushed smooth

# DURABILITY

LP® SmartSide® products help deliver superior resistance against:

- Moisture intrusion from many weather elements
- Impacts from hail
- Damage from freeze/thaw cycles
- Damage from termites
- Damage from fungal decay



See p. 9 for additional warranty info.  
Visit [LPCorp.com](http://LPCorp.com) for details.

Image edited for dramatization



## DURABLE SIDING. SMART TECHNOLOGY.

The exceptional durability of LP® SmartSide® Trim & Siding is built on engineered wood strand technology and LP's proprietary SmartGuard® manufacturing process.

Made using precisely-sized, shaped, and layered wood strands from sustainably-harvested Aspen logs, every LP SmartSide product is treated to the core with an advanced formula of adhesive resins, water-resistant waxes, and zinc borate. Then, a water-resistant, resin-saturated overlay is permanently bonded to the product.

Our SmartGuard process takes durability to the next level, arming LP SmartSide products to help protect the beauty and integrity of your home's exterior.

Learn more about the impressive resiliency of LP SmartSide Trim & Siding at [LPCorp.com](http://LPCorp.com)

## THE DURABILITY DIFFERENCE

### 200 MPH

LP® SmartSide® lap siding is designed to help withstand tough storms with wind gusts of up to 200 miles per hour.



See p. 8 for study information

### 1.75 INCHES

The LP SmartSide limited warranty covers damage from hail up to 1.75" in diameter. See [LPCorp.com](http://LPCorp.com) for details.



### THE BIG 3

Every LP SmartSide product is treated with adhesive resins, water-resistant waxes, and zinc borate, helping protect against moisture intrusion.



# TRIED, TESTED – PROVEN TO PERFORM!



Image edited for dramatization

## HAIL AND WIND RESISTANCE

Results of third-party testing commissioned by LP demonstrate that LP SmartSide cedar texture lap siding resists hail damage better than fiber cement and vinyl. In fact, the LP SmartSide warranty covers impacts from hail up to 1.75 inches in diameter. LP SmartSide lap siding is also designed to withstand tough storms with wind gusts of up to 200 miles per hour. Refer to ESR-1301 or PR-N124.

## IMPACT RESISTANCE

You don't need to be an expert to see the difference in durability. When pitting 'kid v. wall,' LP® SmartSide® Trim & Siding outperformed fiber cement and vinyl – showing LP SmartSide Trim & Siding can endure even unexpected impacts that fall outside of the warranty.



## RESISTANCE TO TERMITES AND FUNGAL DECAY

Since 1996, LP SmartSide siding has undergone brutal testing in Hilo, Hawaii. An average temperature of more than 70 degrees, high levels of humidity, and almost 170 inches of annual rainfall make Hilo's climate the perfect breeding ground for termites, moisture, and fungal decay. Yet, our Exterior Exposure Program continues to validate that LP SmartSide siding performs over time.

# WARRANTY

## REST EASY. IT'S LP® SMARTSIDE® SIDING.

All LP® SmartSide® Trim & Siding products are backed by an industry-leading transferable prorated limited warranty:

- 50-year substrate
- 5-year labor and materials
- 15-year finish on ExpertFinish® prefinished products

The LP SmartSide warranty offers protection against damage from hail up to 1.75" in diameter, fungal decay and termites, and buckling, cracking, peeling, and chipping of the substrate.



For complete warranty details, visit [LPCorp.com/Literature](http://LPCorp.com/Literature)



LP® SmartSide® ExpertFinish® Lap in Quarry Gray, Trim in Snowscape White, and Vertical Siding in Snowscape White, Quarry Gray, and Tundra Gray

# EFFICIENCY



## ENGINEERED FOR FASTER & EASIER INSTALLATIONS

LP® SmartSide® products help you build with greater efficiency on the jobsite. From longer lengths to advanced durability, using LP SmartSide products can help boost your bottom line so you can install siding on more homes in less time.



## ENJOY THE BENEFITS, AVOID THE FUSS

- Easy to carry and install due to lighter weight and flexibility
- Resists breakage, helping minimize material waste and installation delays
- Lap and trim are available in longer lengths, which may reduce cuts and seams

## THE LP® SMARTSIDE® DIFFERENCE

### Lighter Weights:

LP® SmartSide® lap siding is 45% lighter weight per square foot than fiber cement.



### Longer Lengths:

LP SmartSide lap siding's 16-foot lengths may lead to fewer seams and cuts compared to fiber cement's 12-foot lengths.



Learn more about how LP® SmartSide® products stack up to the competition



## PUT TO THE TEST

RSMeans, a trusted third-party construction data company, tested the productivity of LP SmartSide primed and prefinished products against comparable fiber cement products to find out which helps you install faster and reduce build cycles.



## THE RESULTS

Primed LP SmartSide Products vs. Fiber Cement

- LP SmartSide trim installs faster
- LP SmartSide lap installs faster

LP® SmartSide® ExpertFinish® Products vs. Prefinished Fiber Cement

- ExpertFinish trim installs faster
- ExpertFinish lap joint siding installs faster

## THE BOTTOM LINE


With lighter weights per square foot, longer lengths, and advanced durability, LP SmartSide trim & lap siding installs faster than fiber cement trim & lap siding.



# SUSTAINABILITY

The way we build today matters for tomorrow.

LP® SmartSide® Trim & Siding is an inherently sustainable, carbon-negative solution that can help you reduce the environmental impact of your builds, meet code, and qualify for green building programs.



LP® SmartSide® ExpertFinish® Panel and Trim in Abyss Black

LP® SmartSide® products offer a crucial environmental benefit: They're made to withstand the test of time. Durable materials help reduce waste and contribute to a more sustainable future for our planet.



LP® SmartSide® ExpertFinish® Lap, Vertical Siding, and Trim (Board & Batten Style) in Cavern Steel; Trim and Soffit in Quarry Gray

## INHERENTLY SUSTAINABLE

The LP® SmartSide® manufacturing process begins with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards.

We utilize 99% of all wood fiber that enters our manufacturing facilities either in our products or as an alternative renewable energy source to offset fossil fuel consumption.



## AN EFFICIENT SOLUTION

LP SmartSide products can help architects, specifiers, and builders achieve credits within green building certification programs, and our lap and panel products can be used as components within many wall assemblies to help builders meet code efficiently.

Learn more about the sustainability of LP SmartSide products



## CARBON NEGATIVE

LP SmartSide products lock in carbon previously stored in trees. Once installed, they continue to store carbon, resulting in less carbon in the atmosphere.

All LP SmartSide products are carbon negative, meaning they store more carbon over their lifetime than is released from raw material sourcing, manufacturing, shipping, and average product end-of-life scenario.

The LP SmartSide Trim & Siding portfolio represents one of the only carbon-negative siding options on the market, making it a smart choice for building more sustainably.



LP® SmartSide® ExpertFinish® Panel and Trim in Abyss Black

# OPTIONS

Whatever your project or style, the LP® SmartSide® Trim & Siding portfolio offers the versatility you need to achieve stunning results.

- Offerings include lap, trim, panel, vertical siding, soffit, shake, and accessory products that work together beautifully
- Many products are available in two textures – cedar and brushed smooth\*
- Choose from primed products or prefinished offerings within our LP® SmartSide® ExpertFinish® color collection
- Can be utilized for new home construction, remodels, multifamily projects, or sheds and outdoor structures

## THE LP® SMARTSIDE® TRIM & SIDING PORTFOLIO



Take a closer look at our complete suite of solutions on p. 24.



## TWO TEXTURES. ENDLESS POSSIBILITIES.




### Cedar Texture

Our cedar texture offers an authentic wood-grain aesthetic with timeless appeal.




LP® SmartSide® ExpertFinish® Lap and Trim in Abyss Black



### Brushed Smooth

Modern and polished, brushed smooth features a lightly-textured surface with a uniform appearance and consistent sheen.



LP® SmartSide® ExpertFinish® Lap, Panel, and Trim in Snowscape White

\*See Specifications section for availability by product.

# LP® SmartSide® PRIMED TRIM & SIDING



LP® SmartSide® Primed Lap Siding



Our primed siding is a blank canvas for your color & style!

## GETTING THE LOOK YOU WANT IS AS EASY AS 1, 2, 3.



1

Install primed (unpainted) trim and siding.



2

Paint LP® SmartSide® products using high-quality, exterior-grade 100% acrylic paint manufactured for wood or engineered wood use.



3

Put your style on display, while enjoying the lasting benefits of LP SmartSide Trim & Siding

LP® SmartSide® Lap and Trim in custom color

## PRIMED AND READY TO PAINT

The complete LP® SmartSide® Trim & Siding product portfolio is available primed (unpainted) and ready to paint any color – giving you the flexibility to create the look you want. Our primed products offer exceptional paint adhesion and can be repainted over time.



Cedar Texture



Brushed Smooth

All primed products are available in cedar texture, and many come in brushed smooth.



LP® SmartSide®  
**5/50** YEAR  
PRORATED  
LIMITED  
WARRANTY

LP® SmartSide® Primed Lap

LP® SmartSide® ExpertFinish®

# PREFINISHED TRIM & SIDING

**LP SmartSide®**  
ExpertFinish® TRIM & SIDING



LP® SmartSide® ExpertFinish® Lap in Sand Dunes

## BUILT ON SMART TECHNOLOGY. FINISHED WITH LASTING COLOR.

- Delivers the same advanced durability as LP® SmartSide® primed (unpainted) products
- Factory-finished with high-grade acrylic exterior paint specifically engineered for use with LP SmartSide primers
- Optimal coating conditions help provide uniform color application and exceptional consistency
- Eliminates the need for most field painting, helping save time, labor, and materials
- LP® SmartSide® ExpertFinish® lap joint siding features a proprietary joint that eliminates the need for caulk, joint molds, or pan flashing at butt joints
- Options include cedar texture and brushed smooth

LP® SmartSide® ExpertFinish® Lap and Panel in Garden Sage, Shakes in Desert Stone, and Trim in Abyss Black

**LP SmartSide®**  
ExpertFinish® TRIM & SIDING

## AVAILABLE IN 16 EXPERTFINISH® COLORS

|                 |              |                 |                  |
|-----------------|--------------|-----------------|------------------|
|                 |              |                 |                  |
| Snowscape White | Sand Dunes   | Desert Stone    | Quarry Gray      |
|                 |              |                 |                  |
| Prairie Clay    | Terra Brown  | Harvest Honey   | Timberland Suede |
|                 |              |                 |                  |
| Garden Sage     | Redwood Red  | Tundra Gray     | Summit Blue      |
|                 |              |                 |                  |
| Rapids Blue     | Cavern Steel | Midnight Shadow | Abyss Black      |

LP® SmartSide® ExpertFinish® products are available in cedar texture and brushed smooth!



## Exceptional Warranty

Backed by a 5/15/50-year prorated limited warranty: 5-year labor and materials, 15-year finish, and 50-year substrate. See [LPCorp.com](http://LPCorp.com) for details.



Inspired by Nature

# New LP® SmartSide® ExpertFinish® NATURALS COLLECTION™ Siding

RELEASED IN 2025



Like natural wood,  
but better.

LP® SmartSide® ExpertFinish® NATURALS COLLECTION™ Cedar Texture Nickel Gap Siding in Weathered Walnut

## NATURALS COLLECTION™ COLOR OPTIONS

Cedar  
Texture



Washed White    Smoky Slate    Bonsai Black    Weathered Walnut    Aged Amber    Saffron Cedar

Brushed  
Smooth



Try pairing with these colors from the LP® SmartSide® ExpertFinish® core collection:



Desert Stone    Cavern Steel    Timberland Suede    Terra Brown    Harvest Honey    Sand Dunes

- Blends the stability of engineered wood with the unique color variations found in nature
- Available in six versatile colors and cedar texture or brushed smooth
- Can be paired with complementary colors from the ExpertFinish® core collection

Contact your LP Sales Rep for product availability in your area.



LP® SmartSide® ExpertFinish® NATURALS COLLECTION™ Cedar Texture Lap in Saffron Cedar

# DESIGN




## DISCOVER THE BEAUTY OF LP® SMARTSIDE® TRIM & SIDING.

Whether you're going for modern, traditional, bold, or subdued, the LP® SmartSide® Trim & Siding portfolio features versatile products that can be mixed and matched to complement any style.

- Choose from primed (unpainted) or LP® SmartSide® ExpertFinish® prefinished products
- Texture options include cedar and brushed smooth
- Can be used as a full-home solution, or as a complement to other claddings, such as brick, stone, and stucco

Choose your style.  
Choose your color.  
Get the look you want.

Visualize different looks and get inspired!



### Try our LP SmartSide Home Visualizer!

- Choose a home from our sample gallery and experiment with products and colors
- Upload a photo of your project and use our new AI technology to instantly see how LP SmartSide products will look
- For the most realistic outcome, send us a photo of your project, and we'll help prepare it for use in the visualizer tool (for a small fee)



Scan to use our Home Visualizer tool for your next project

[HomeVisualizer.LPCorp.com](https://HomeVisualizer.LPCorp.com)

See Specifications section for availability by product.

# APPLICATIONS

## New Home Construction

Residential builders rely on LP® SmartSide® Trim & Siding for its design versatility, quick installation, consistent performance, and industry-leading warranty.

[LPCorp.com](https://LPCorp.com)



## Remodels

An excellent choice for remodels, LP SmartSide products can transform a home's exterior, while potentially adding durability, lowering maintenance, and increasing resale value.

[LPCorp.com/Remodel](https://LPCorp.com/Remodel)



## Multifamily & Commercial

LP SmartSide products are a durable, sustainable, cost-effective solution for architects and builders seeking to optimize budgets and timelines on multifamily and light commercial projects.

[LPCorp.com/Multifamily](https://LPCorp.com/Multifamily)



## Outdoor Living & Storage

From pool houses to sheds, LP SmartSide products bring both durability and design to outdoor structures. Pair with engineered wood products from the LP® Outdoor Building Solutions® portfolio to further enhance your backyard build.

[LPShed.com](https://LPShed.com)



# YOUR COMPLETE SIDING SOLUTION

A system of products designed to work together beautifully.



**VENTED SOFFIT**  
Snowscape White



**PANEL & VERTICAL SIDING**  
Tundra Gray, paired with Trim (Board & Batten Style)



**TRIM & FASCIA**  
Snowscape White



**SHAKE LAP SIDING**  
Quarry Gray




**LAP SIDING**  
Tundra Gray



**NICKEL GAP SIDING**  
Tundra Gray



**J-BLOCK**  
Accessories shown in Tundra Gray



**MINI-SPLIT**



**OUTSIDE CORNER**



# LAP SIDING

## LP® SmartSide® Lap Siding

### LAP THAT HOLDS UP AND STANDS OUT

- One of the most durable lap options on the market
- Available in a variety of widths and thicknesses
- All lap products are now available in standard 16' length, helping reduce waste and speed installation
- 16' length may result in fewer seams than traditional 12' lap, providing a more polished aesthetic
- Complements other materials, such as brick, stone, and stucco
- APA-certified

#### Options




Options vary by product; see Specifications section for details



Brushed Smooth

LP® Smartside® ExpertFinish® Brushed Smooth Lap in Snowscape White


Cedar Texture



LP® Smartside® ExpertFinish® Cedar Texture Lap in Garden Sage and Trim in Abyss Black



LP® Smartside® ExpertFinish® Cedar Texture Lap and Trim in Cavern Steel



LP® Smartside® ExpertFinish® Brushed Smooth Lap Joint Siding in Garden Sage

**LP® SmartSide® ExpertFinish® lap joint siding features a proprietary joint designed to help speed installation by eliminating the need for caulk, joint molds, or pan flashing at butt joints.**



LP® SmartSide® ExpertFinish® Brushed Smooth Lap, Panel, and Trim in Abyss Black



LP® Smartside® Cedar Texture Lap and Trim in custom colors

# NICKEL GAP SIDING

## LP® SmartSide® Nickel Gap Siding

### INNOVATIVE SIDING WITH MODERN APPEAL

- Features locking flanges with a fastener groove that hides nails
- Profile allows for "nickel-sized" horizontal spacing between boards, accommodating a gap range of 1/16" to 1/8" after installation
- Tongue-and-groove design allows for siding to be stacked and tapped into place for easy installation
- Can be paired with LP® Nickel Gap Flashing
- Features include a nominal 1/2" thickness and 7" reveal



#### Options



Options vary by product; see Specifications section for details



LP® Smartside® ExpertFinish® Cedar Texture Nickel Gap Siding in Sand Dunes; Trim in custom color

Cedar Texture



Brushed Smooth



LP® Smartside® ExpertFinish® NATURALS COLLECTION™ Cedar Texture Nickel Gap Siding in Weathered Walnut (ceiling); Trim in custom color

Inset: LP® Smartside® Brushed Smooth Nickel Gap Siding Below: LP® Smartside® ExpertFinish® Brushed Smooth Nickel Gap Siding in Snowscape White


# SHAKE LAP SIDING

## LP® SmartSide® Shake Lap Siding

### REVERSIBLE SHAKES WITH DESIGN FLEXIBILITY

- Provides the look of traditional cedar, plus the durability advantages of engineered wood
- Features a reversible design with staggered or straight edges
- Use as accents, in gables, or as full siding

#### Options



Options vary by product; see Specifications section for details



LP® SmartSide® ExpertFinish® Cedar Texture Shake Lap Siding in Rapids Blue

**Reversible staggered or straight edge provides great design flexibility!**



LP® SmartSide® ExpertFinish® Cedar Texture Shake Lap Siding (staggered) in Rapids Blue; Trim & Fascia in Snowscape White



LP® SmartSide® ExpertFinish® Cedar Texture Shake Lap Siding (staggered) in Quarry Gray; Trim & Fascia in Snowscape White



LP® SmartSide® ExpertFinish® Cedar Texture Shake Lap Siding (straight) and Trim in Abyss Black



LP® SmartSide® Cedar Texture Shake Lap Siding (staggered), Panel, and Trim in custom colors



LP® SmartSide® ExpertFinish® Cedar Texture Shake Lap (staggered), Trim & Fascia, and Lap in Abyss Black

# CLOSED & VENTED SOFFIT

LP® SmartSide® Soffit

## SOFFIT THAT'S BUILT FOR FORM & FUNCTION

- Provides a clean, refined aesthetic that helps boost curb appeal
- Helps protect against moisture and debris intrusion in eaves, maximizing your investment
- Coordinates beautifully with other LP® SmartSide® Trim & Siding products
- Available in a range of options to meet your vision and specifications, including:
  - 4' x 8' Soffit Panels
  - No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panels
  - Closed cut-to-width soffit
  - Vented cut-to-width soffit

### Options



Options vary by product; see Specifications section for details

**Cut-to-width sizes can help save time by eliminating the need to cut full sheets.**



LP® SmartSide® ExpertFinish® Vented and Closed Soffit, Trim, and Fascia in Abyss Black; Lap, Panel, and Trim in Snowscape White



LP® SmartSide® ExpertFinish® Vented Soffit, Cedar Texture Shake Lap Siding, and Fascia in Abyss Black

### Closed Soffit

- Available in cut-to-width sizes (cedar texture and brushed smooth options)
- Options include 4' x 8' panels in various thicknesses (cedar texture only) and No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panels in 4' x 8' and 4' x 10' (options vary by length and texture)
- Select LP® SmartSide® ExpertFinish® closed soffit products are available in cut-to-width sizes and cedar texture or brushed smooth options



Redwood Red

### Vented Soffit

- Precisely cut vents offer 10 square inches of ventilation per linear foot
- Promotes continuous airflow
- Features 1/8" vents to keep hornets and most bees out
- Available in cut-to-width sizes (cedar texture and brushed smooth options)
- Select LP® SmartSide® ExpertFinish® vented soffit products are available in cut-to-width sizes and cedar texture or brushed smooth options



Redwood Red



LP® SmartSide® Vented Soffit and Lap in custom colors

# PANEL & VERTICAL SIDING

## LP® SmartSide® Panel & Vertical Siding

### DURABLE AND EFFICIENT, FROM TOP TO BOTTOM

- Provides a premium look and is highly-versatile; can be used in residential, multifamily, and shed applications
- Available in a range of options to meet your vision and specifications
- Pair with LP® SmartSide® trim to create the timeless look of board and batten style siding

#### Options



Options vary by product; see Specifications section for details

#### Panel Siding

- Rated for structural use by APA
- Strong enough to be nailed directly to stud, making additional sheathing unnecessary in many applications
- Helps to eliminate need for additional bracing on load-bearing walls
- Options include primed (unpainted) products and LP® SmartSide® ExpertFinish® products in cedar texture or brushed smooth



Cedar Texture

LP® SmartSide® ExpertFinish® Panel and Trim (Board & Batten Style) in Abyss Black

#### Vertical Siding

- 16' lengths can help eliminate horizontal joints for a clean look
- Not rated for structural use; sheathing only attachment
- Options include primed (unpainted) and ExpertFinish products in cedar texture or brushed smooth



Brushed Smooth

LP® SmartSide® ExpertFinish® Vertical Siding and Trim (Board & Batten Style), Lap, and Fascia in Abyss Black



Use with LP SmartSide trim to create board and batten style siding

LP® SmartSide® Panel, Trim, and Fascia in custom color

# TRIM & FASCIA

## LP® SmartSide® Trim & Fascia

### SO MANY OPTIONS, SO MUCH STYLE

- Use for corners, windows, or door trims
- Versatile portfolio features classic cedar and brushed smooth textures, as well as a variety of widths and thicknesses for extensive design flexibility
- Can be used to add contrast, highlight architectural elements, or create custom accents
- Coordinates beautifully with other LP® SmartSide® products for a cohesive, polished aesthetic
- 16' length can result in faster installation and fewer seams

#### Options



Options vary by product; see Specifications section for details



Cedar Texture

LP® SmartSide® ExpertFinish® Trim in Snowscape White; Panel and Trim (Board & Batten Style) and Lap in Cavern Steel



LP® SmartSide® ExpertFinish®  
Brushed Smooth Trim in Cavern Steel

From bold statements to subtle accents,  
our trim and fascia can help bring your  
design vision to life.

Brushed Smooth



LP® SmartSide® ExpertFinish® Trim in Abyss Black; Lap in Cavern Steel



LP® SmartSide® ExpertFinish® Trim, Fascia, Lap, and Panel in Abyss Black



16' length can result  
in faster install and  
fewer seams

LP® SmartSide® ExpertFinish® Trim & Fascia in Abyss Black; Cedar Texture Shake Lap Siding, Panel, and Trim (Board & Batten Style) in Cavern Steel

# ACCESSORIES

## LP® SmartSide® Outside Corners, J-Blocks, & Mini-Splits

### TOUCHES THAT ADD STYLE AND EFFICIENCY

- One-piece Outside Corners arrive pre-formed and ready to install, eliminating the need to build corners on site
- J-Blocks and Mini-Splits provide an attractive solution for mounting light fixtures, faucets, and other outdoor fixtures with ease; Mini-Splits can be separated for specific mount sizes
- Coordinates beautifully with LP® SmartSide® lap, panel, and vertical siding products for a cohesive, polished aesthetic

#### Options




Options vary by product; see Specifications section for details

#### Outside Corner



#### J-Block



#### Mini-Split



Accessories are shown in LP® SmartSide® ExpertFinish® color Timberland Suede



LP® SmartSide® ExpertFinish® J-Block and Lap in Tundra Gray; Trim in Cavern Steel



LP® SmartSide® ExpertFinish® Mini-Split in Timberland Suede



LP® SmartSide® ExpertFinish® Outside Corner and Lap in Timberland Suede



LP® SmartSide® ExpertFinish® J-Blocks, Lap, and Trim in Snowscape White



LP® SmartSide® ExpertFinish® J-Block and Lap in Snowscape White



# SPECIFICATIONS

## ALL THE DETAILS.

LP® SmartSide® products come in different lengths, widths, textures, colors, and profiles, giving you the flexibility to create the look you want. Find all the details and product specifications here, including LP® SmartSide® ExpertFinish® color availability for each product.



[LPCorp.com](https://www.lpcorp.com)

# LAP SIDING

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series Lap Siding
- LP® SmartSide® ExpertFinish® 38 Series Lap Joint Siding

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

APA-Certified Lap Siding

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:

38 SERIES CEDAR TEXTURE LAP



| PRODUCT                     | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | MAX SPAN RATING | WEIGHT  | PID   |
|-----------------------------|--------------------------|--------------------|------------------|-----------------|---------|-------|
| 38 Series Cedar Texture Lap | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)  | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 25796 |
|                             | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)  | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 25797 |
|                             | 16 ft. (192 in.) (4.9 m) | 11.84 in. (301 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 25799 |

## 38 Series Lap - Cedar Texture

3/8" Nominal Thickness  
Primed Lap: 6" | 8" | 12"



### Application Instructions:

LPCorp.com/Literature



## 38 Series Lap - Cedar Texture

3/8" Nominal Thickness  
ExpertFinish® Core Collection Lap: 6" | 8"  
NATURALS COLLECTION™ Lap: 8"



### ExpertFinish® Color Specifications and PIDs:

38 SERIES EXPERTFINISH® CEDAR TEXTURE LAP JOINT SIDING



| COLOR                        | LENGTH                   | ACTUAL WIDTH             | THICKNESS         | MAX SPAN RATING  | WEIGHT  | PID     |       |
|------------------------------|--------------------------|--------------------------|-------------------|------------------|---------|---------|-------|
| Snowscape White              | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41715   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42271   |       |
| Sand Dunes                   | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41841   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42272   |       |
| Desert Stone                 | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41842   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42274   |       |
| Quarry Gray                  | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41837   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42288   |       |
| Prairie Clay                 | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41834   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42278   |       |
| Terra Brown                  | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41845   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42277   |       |
| Harvest Honey                | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 45327   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 45284   |       |
| Timberland Suede             | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41843   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42269   |       |
| Garden Sage                  | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 45328   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 45325   |       |
| Redwood Red                  | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41840   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42293   |       |
| Tundra Gray                  | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41846   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42300   |       |
| Summit Blue                  | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41844   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42273   |       |
| Rapids Blue                  | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41839   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42287   |       |
| Cavern Steel                 | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41835   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42301   |       |
| Midnight Shadow              | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 45329   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 45326   |       |
| Abyss Black                  | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 41774   |       |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)        | 0.354 in. (9 mm)  | 16 in.           | 1.5 PSF | 42279   |       |
| NEW NATURALS COLLECTION™ LAP | Washed White             | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.  | 1.5 PSF | 46731 |
|                              | Smoky Slate              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.  | 1.5 PSF | 46730 |
|                              | Bonsai Black             | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.  | 1.5 PSF | 46729 |
|                              | Weathered Walnut         | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.  | 1.5 PSF | 46728 |
|                              | Aged Amber               | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.  | 1.5 PSF | 46727 |
|                              | Saffron Cedar            | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.  | 1.5 PSF | 46726 |

# LAP SIDING

## Brushed Smooth

### Products:

- LP® SmartSide® 38 Series Lap Siding
- LP® SmartSide® ExpertFinish® 38 Series Lap Joint Siding

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

APA-Certified Lap Siding

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



| PRODUCT                      | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | MAX SPAN RATING | WEIGHT  | PID   |
|------------------------------|--------------------------|--------------------|------------------|-----------------|---------|-------|
| 38 Series Brushed Smooth Lap | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm)  | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45989 |
|                              | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)  | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45990 |
|                              | 16 ft. (192 in.) (4.9 m) | 11.84 in. (301 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45991 |

## 38 Series Lap - Brushed Smooth

3/8" Nominal Thickness  
Primed Lap: 6" | 8" | 12"



### Application Instructions:

LPCorp.com/Literature



## 38 Series Lap - Brushed Smooth

3/8" Nominal Thickness  
ExpertFinish® Core Collection Lap: 6" | 8"  
NATURALS COLLECTION™ Lap: 8"



### ExpertFinish® Color Specifications and PIDs:

#### 38 SERIES EXPERTFINISH® BRUSHED SMOOTH LAP JOINT SIDING



| COLOR            | LENGTH                   | ACTUAL WIDTH      | THICKNESS        | MAX SPAN RATING | WEIGHT  | PID   |
|------------------|--------------------------|-------------------|------------------|-----------------|---------|-------|
| Snowscape White  | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45683 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45667 |
| Sand Dunes       | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45682 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45666 |
| Desert Stone     | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45674 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45658 |
| Quarry Gray      | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45679 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45663 |
| Prairie Clay     | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45678 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45662 |
| Terra Brown      | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45685 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45669 |
| Harvest Honey    | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45676 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45660 |
| Timberland Suede | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45686 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45670 |
| Garden Sage      | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45675 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45659 |
| Redwood Red      | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45681 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45665 |
| Tundra Gray      | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45687 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45671 |
| Summit Blue      | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45684 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45668 |
| Rapids Blue      | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45680 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45664 |
| Cavern Steel     | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45673 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45657 |
| Midnight Shadow  | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45677 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45661 |
| Abyss Black      | 16 ft. (192 in.) (4.9 m) | 5.84 in. (148 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45672 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 45656 |
| Washed White     | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46725 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46724 |
| Smoky Slate      | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46723 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46722 |
| Bonsai Black     | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46721 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46720 |
| Weathered Walnut | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46721 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46720 |
| Aged Amber       | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46721 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46720 |
| Saffron Cedar    | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46721 |
|                  | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46720 |

NEW NATURALS COLLECTION™ LAP

# LAP SIDING

## Cedar Texture

### Product:

LP® SmartSide® 76 Series Lap Siding

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

APA-Certified Lap Siding

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 76 Series Lap - Cedar Texture

7/16" Nominal Thickness  
Primed Lap: 8" | 12"



Cedar Texture

### Application Instructions:

LPCorp.com/Literature



### Primed Specifications and PIDs:

#### 76 SERIES CEDAR TEXTURE LAP



| PRODUCT                     | LENGTH                   | ACTUAL WIDTH       | THICKNESS           | MAX SPAN RATING | WEIGHT  | PID   |
|-----------------------------|--------------------------|--------------------|---------------------|-----------------|---------|-------|
| 76 Series Cedar Texture Lap | 16 ft. (192 in.) (4.9 m) | 7.84 in. (199 mm)  | 0.418 in. (10.6 mm) | 24 in.          | 1.5 PSF | 25786 |
|                             | 16 ft. (192 in.) (4.9 m) | 11.84 in. (301 mm) | 0.418 in. (10.6 mm) | 24 in.          | 1.5 PSF | 25787 |



LP® SmartSide® Cedar Texture Lap and Trim in custom colors

# NICKEL GAP SIDING

## Cedar Texture

### Products:

- LP® SmartSide® Nickel Gap Siding
- LP® SmartSide® ExpertFinish® Nickel Gap Siding

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Profile allows for "nickel-sized" horizontal spacing between boards, accommodating a gap range of 1/16" to 1/8" after installation.

**Application Instructions:**  
LPCorp.com/Literature



| PRODUCT                 | LENGTH          | ACTUAL WIDTH     | THICKNESS           | WEIGHT                 | PID   |
|-------------------------|-----------------|------------------|---------------------|------------------------|-------|
| LP® Nickel Gap Flashing | 10 in. (254 mm) | 4 in. (101.6 mm) | 0.024 in. (0.61 mm) | 9.4 LBS<br>100 pcs/box | 46180 |

### Innovative Design

LP® SmartSide® Nickel Gap Siding features locking flanges with a fastener groove that hides nails.



### Primed Specifications and PIDs:



| PRODUCT                         | LENGTH                   | ACTUAL WIDTH     | THICKNESS           | MAX SPAN RATING | WEIGHT  | PID   |
|---------------------------------|--------------------------|------------------|---------------------|-----------------|---------|-------|
| Cedar Texture Nickel Gap Siding | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 45545 |

### ExpertFinish® Color Specifications and PIDs:



| COLOR            | LENGTH                   | ACTUAL WIDTH     | THICKNESS           | MAX SPAN RATING | WEIGHT  | PID   |
|------------------|--------------------------|------------------|---------------------|-----------------|---------|-------|
| Snowscape White  | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46558 |
| Sand Dunes       | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46557 |
| Desert Stone     | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46549 |
| Quarry Gray      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46554 |
| Prairie Clay     | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46553 |
| Terra Brown      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46560 |
| Harvest Honey    | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46551 |
| Timberland Suede | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46561 |
| Garden Sage      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46550 |
| Redwood Red      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46556 |
| Tundra Gray      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46562 |
| Summit Blue      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46559 |
| Rapids Blue      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46555 |
| Cavern Steel     | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46548 |
| Midnight Shadow  | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46552 |
| Abyss Black      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46547 |
| Washed White     | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46755 |
| Smoky Slate      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46753 |
| Bonsai Black     | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46751 |
| Weathered Walnut | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46749 |
| Aged Amber       | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46747 |
| Saffron Cedar    | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46745 |

NEW NATURALS COLLECTION™  
NICKEL GAP SIDING

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot  
Contact your LP Sales Rep for product availability.  
All colors shown are representative and may not be an exact match.

# NICKEL GAP SIDING

Brushed Smooth

## Products:

LP® SmartSide® ExpertFinish® Nickel Gap Siding

## DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

## Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



## Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## Additional Info:

- Tongue-and-groove design allows for siding to be stacked and tapped into place for easy installation
- Features include a nominal 1/2" thickness and 7" reveal
- Can be installed vertically or horizontally
- Install with LP® Nickel Gap Flashing (100 pcs/box; only available in primed) or comparable alternative to support a complete system



Summit Blue

Profile allows for "nickel-sized" horizontal spacing between boards, accommodating a gap range of 1/16" to 1/8" after installation.

## Application Instructions:

LPCorp.com/Literature



LP® Nickel Gap Flashing

## Innovative Design

LP® SmartSide® Nickel Gap Siding features locking flanges with a fastener groove that hides nails.



## ExpertFinish® Color Specifications and PIDs:



| COLOR            | LENGTH                   | ACTUAL WIDTH     | THICKNESS           | MAX SPAN RATING | WEIGHT  | PID   |
|------------------|--------------------------|------------------|---------------------|-----------------|---------|-------|
| Snowscape White  | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46574 |
| Sand Dunes       | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46573 |
| Desert Stone     | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46565 |
| Quarry Gray      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46570 |
| Prairie Clay     | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46569 |
| Terra Brown      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46576 |
| Harvest Honey    | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46567 |
| Timberland Suede | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46577 |
| Garden Sage      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46566 |
| Redwood Red      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46572 |
| Tundra Gray      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46578 |
| Summit Blue      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46575 |
| Rapids Blue      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46571 |
| Cavern Steel     | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46564 |
| Midnight Shadow  | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46568 |
| Abyss Black      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46563 |
| Washed White     | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46743 |
| Smoky Slate      | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46741 |
| Bonsai Black     | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46739 |
| Weathered Walnut | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46737 |
| Aged Amber       | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46735 |
| Saffron Cedar    | 16 ft. (192 in.) (4.9 m) | 7.88 in (200 mm) | 0.495 in. (12.6 mm) | 24 in.          | 1.5 PSF | 46733 |

NEW NATURALS COLLECTION™  
NICKEL GAP SIDING

| PRODUCT                 | LENGTH          | ACTUAL WIDTH     | THICKNESS           | WEIGHT                 | PID   |
|-------------------------|-----------------|------------------|---------------------|------------------------|-------|
| LP® Nickel Gap Flashing | 10 in. (254 mm) | 4 in. (101.6 mm) | 0.024 in. (0.61 mm) | 9.4 LBS<br>100 pcs/box | 46180 |

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot  
Contact your LP Sales Rep for product availability.  
All colors shown are representative and may not be an exact match.

# SHAKE LAP SIDING

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series Shakes
  - LP® SmartSide® ExpertFinish® 38 Series Shakes
- DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Reversible design allows for staggered or straight edge



Staggered




Straight

### Application Instructions:

LPCorp.com/Literature



### 38 SERIES CEDAR TEXTURE SHAKES



## 38 Series - Shake Lap Siding

3/8" Nominal Thickness  
Primed & Prefinished: 12" x 48"

### Primed Specifications and PIDs:



| PRODUCT                        | LENGTH                   | ACTUAL WIDTH        | THICKNESS        | MAX SPAN RATING | WEIGHT  | PID   |
|--------------------------------|--------------------------|---------------------|------------------|-----------------|---------|-------|
| 38 Series Cedar Texture Shakes | 4ft. (48.56 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 42092 |

### ExpertFinish® Color Specifications and PIDs:



| COLOR            | LENGTH                   | ACTUAL WIDTH        | THICKNESS        | MAX SPAN RATING | WEIGHT  | PID   |
|------------------|--------------------------|---------------------|------------------|-----------------|---------|-------|
| Snowscape White  | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46524 |
| Sand Dunes       | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46522 |
| Desert Stone     | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46506 |
| Quarry Gray      | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46516 |
| Prairie Clay     | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46514 |
| Terra Brown      | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46528 |
| Harvest Honey    | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46510 |
| Timberland Suede | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46530 |
| Garden Sage      | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46508 |
| Redwood Red      | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46520 |
| Tundra Gray      | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46532 |
| Summit Blue      | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46526 |
| Rapids Blue      | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46518 |
| Cavern Steel     | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46504 |
| Midnight Shadow  | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46512 |
| Abyss Black      | 4ft. (48.63 in.) (1.2 m) | 11.625 in. (295 mm) | 0.354 in. (9 mm) | 16 in.          | 1.5 PSF | 46502 |

# CLOSED SOFFIT

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series 4' x 8' Soffit
- LP® SmartSide® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel
- LP® SmartSide® 38 Series Cut-to-Width Soffit
- LP® SmartSide® ExpertFinish® 38 Series Cut-to-Width Soffit
- LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel (see p. 66 for details)

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



**Application Instructions:**  
LPCorp.com/Literature



## 38 Series Closed Soffit - Cedar Texture

3/8" Nominal Thickness  
**Primed:**  
 Soffit Panel: 4' x 8'  
 NGSE Dual Use Siding and Soffit Panel: 4' x 8'  
 Cut-to-Width: 12" | 16" | 24"  
**Prefinished:**  
 Varies by color

### Primed Specifications and PIDs:



| PRODUCT   | LENGTH                   | ACTUAL WIDTH         | THICKNESS        | MAX SPAN RATING                | PID   |
|---|--------------------------|----------------------|------------------|--------------------------------|-------|
| 38 Series 4' x 8' Cedar Texture Soffit  | 8 ft. (96 in.) (2.4 m)   | 47.81 in. (1 214 mm) | 0.354 in. (9 mm) | 24 in.                         | 25813 |
| 38 Series Cedar Texture Panel No Groove Square Edge (NGSE) Dual Use Siding and Soffit ★ | 8 ft. (96 in.) (2.4 m)   | 47.81 in. (1 214 mm) | 0.354 in. (9 mm) | 16 in. Siding<br>24 in. Soffit | 41044 |
| 38 Series Cedar Texture Closed Soffit Cut-to-Width                                      | 16 ft. (192 in.) (4.9 m) | 11.94 in. (303 mm)   | 0.354 in. (9 mm) | 24 in.                         | 25805 |
|   | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm)   | 0.354 in. (9 mm) | 24 in.                         | 25806 |
|   | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm)   | 0.354 in. (9 mm) | 24 in.                         | 25807 |

### ExpertFinish® Color Specifications and PIDs:



| COLOR                        | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | MAX SPAN RATING | PID   |
|------------------------------|--------------------------|--------------------|------------------|-----------------|-------|
| Snowscape White Cut-to-Width | 16 ft. (192 in.) (4.9 m) | 11.94 in. (303 mm) | 0.354 in. (9 mm) | 24 in.          | 46434 |
|                              | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 46436 |
|                              | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 46536 |
| Sand Dunes                   | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 46535 |
| Quarry Gray                  | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 46534 |
| Abyss Black                  | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 46533 |
| Washed White                 | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 47367 |
| Smoky Slate                  | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 47368 |
| Bonsai Black                 | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 47369 |
| Weathered Walnut             | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 47370 |
| Aged Amber                   | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 47364 |
| Saffron Cedar                | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 47363 |

See p. 66 for LP® SmartSide® ExpertFinish® Cedar Texture Dual Use Siding and Soffit Panels.

#### 38 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



#### 38 SERIES CEDAR TEXTURE SOFFIT - CUT-TO-WIDTH



★ Can be used in siding or soffit applications

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. All colors shown are representative and may not be an exact match.

# CLOSED SOFFIT

## Brushed Smooth

### Products:

LP® SmartSide® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel

LP® SmartSide® 38 Series Cut-to-Width Soffit

LP® SmartSide® ExpertFinish® 38 Series Cut-to-Width Soffit

LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel (see p. 69 for details)

### DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Application Instructions:

LPCorp.com/Literature



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards




## 38 Series Closed Soffit - Brushed Smooth

3/8" Nominal Thickness

**Primed:**  
NGSE Dual Use Siding and Soffit Panel: 8' | 10'  
Cut-to-Width: 12" | 16" | 24"

**Prefinished:**  
Varies by color

### Primed Specifications and PIDs:



| PRODUCT  | LENGTH                   | ACTUAL WIDTH         | THICKNESS        | MAX SPAN RATING                | PID   |
|--|--------------------------|----------------------|------------------|--------------------------------|-------|
| 38 Series Brushed Smooth Panel No Groove Square Edge (NGSE) Dual Use Siding and Soffit ★ | 8 ft. (96 in.) (2.4 m)   | 47.81 in. (1 214 mm) | 0.354 in. (9 mm) | 16 in. Siding<br>24 in. Soffit | 46008 |
|  | 10 ft. (120 in.) (3.0 m) | 47.81 in. (1 214 mm) | 0.354 in. (9 mm) | 16 in. Siding<br>24 in. Soffit | 46650 |
| 38 Series Brushed Smooth Closed Soffit Cut-to-Width                                      | 16 ft. (192 in.) (4.9 m) | 11.94 in. (303 mm)   | 0.354 in. (9 mm) | 24 in.                         | 46005 |
|  | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm)   | 0.354 in. (9 mm) | 24 in.                         | 46006 |
|  | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm)   | 0.354 in. (9 mm) | 24 in.                         | 46009 |

### ExpertFinish® Color Specifications and PIDs:



| COLOR                        | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | MAX SPAN RATING | PID   |
|------------------------------|--------------------------|--------------------|------------------|-----------------|-------|
| Snowscape White Cut-to-Width | 16 ft. (192 in.) (4.9 m) | 11.94 in. (303 mm) | 0.354 in. (9 mm) | 24 in           | 46541 |
|                              | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in           | 46542 |
|                              | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in           | 46546 |
| Sand Dunes                   | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in           | 46545 |
| Quarry Gray                  | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in           | 46544 |
| Abyss Black                  | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in           | 46543 |
| Washed White                 | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in           | 47366 |
| Smoky Slate                  | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in           | 47365 |
| Bonsai Black                 | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in           | 47362 |
| Weathered Walnut             | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in           | 47361 |
| Aged Amber                   | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in           | 47360 |
| Saffron Cedar                | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in           | 47359 |

See p. 69 for LP® SmartSide® ExpertFinish® Brushed Smooth Dual Use Siding and Soffit Panels.

### 38 SERIES BRUSHED SMOOTH SOFFIT - CUT-TO-WIDTH



★ Can be used in siding or soffit applications

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. All colors shown are representative and may not be an exact match.

# CLOSED SOFFIT

## Cedar Texture

### Products:

LP® SmartSide® 76 Series Closed Soffit

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 76 Series Closed Soffit - Cedar Texture

7/16" Nominal Thickness  
Primed: 4' x 8' Soffit Panel



### Application Instructions:

LPCorp.com/Literature



# CLOSED SOFFIT

## Cedar Texture

### Products:

LP® SmartSide® 190 Series Closed Soffit

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 190 Series Closed Soffit - Cedar Texture

19/32" Nominal Thickness  
Primed: 4' x 8' Soffit Panel



### Installation Instructions:

LPCorp.com/Literature



### Primed Specifications and PIDs:

#### 76 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



| PRODUCT                                | LENGTH                 | ACTUAL WIDTH        | THICKNESS           | MAX SPAN RATING | PID   |
|--|------------------------|---------------------|---------------------|-----------------|-------|
| 76 Series 4' x 8' Cedar Texture Soffit | 8 ft. (96 in.) (2.4 m) | 47.81 in. (1.214 m) | 0.418 in. (10.6 mm) | 24 in.          | 25814 |

### Primed Specifications and PIDs:

#### 190 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



| PRODUCT                                 | LENGTH                 | ACTUAL WIDTH        | THICKNESS           | MAX SPAN RATING | PID    |
|---|------------------------|---------------------|---------------------|-----------------|--------|
| 190 Series 4' x 8' Cedar Texture Soffit | 8 ft. (96 in.) (2.4 m) | 47.81 in. (1.214 m) | 0.578 in. (14.7 mm) | 24 in.          | 25816* |

# VENTED SOFFIT

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series Vented Soffit
- LP® SmartSide® ExpertFinish® 38 Series Vented Soffit

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 38 Series Vented Soffit - Cedar Texture

3/8" Nominal Thickness  
Primed: 12" | 16" | 24"  
Prefinished: Varies by color

### Primed Specifications and PIDs:




| PRODUCT  | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | MAX SPAN RATING | PID   |
|--|--------------------------|--------------------|------------------|-----------------|-------|
| 38 Series Cedar Texture Vented Soffit Cut-to-Width | 16 ft. (192 in.) (4.9 m) | 11.94 in. (303 mm) | 0.354 in. (9 mm) | 24 in.          | 25822 |
|  | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 25823 |
|  | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 25824 |

### ExpertFinish® Color Specifications and PIDs:



| COLOR                        | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | MAX SPAN RATING | PID   |
|------------------------------|--------------------------|--------------------|------------------|-----------------|-------|
| Snowscape White Cut-to-Width | 16 ft. (192 in.) (4.9 m) | 11.94 in. (303 mm) | 0.354 in. (9 mm) | 24 in.          | 46433 |
|                              | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 46435 |
|                              | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 46540 |
| Sand Dunes Cut-to-Width      | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 46539 |
| Quarry Gray Cut-to-Width     | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 46538 |
| Abyss Black Cut-to-Width     | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 46537 |

### 38 SERIES CEDAR TEXTURE VENTED SOFFIT - CUT-TO-WIDTH



# VENTED SOFFIT

Brushed Smooth

## Products:

- LP® SmartSide® 38 Series Cut-to-Width Vented Soffit
- LP® SmartSide® ExpertFinish® 38 Series Vented Soffit

DESIGNED & RATED FOR EXTERIOR USE


## Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



## Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards




**Application Instructions:**  
LPCorp.com/Literature



## 38 Series Vented Soffit - Brushed Smooth

3/8" Nominal Thickness  
Primed: 12" | 16" | 24"  
Prefinished: Varies by color

## Primed Specifications and PIDs:




| PRODUCT   | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | MAX SPAN RATING | PID   |
|---|--------------------------|--------------------|------------------|-----------------|-------|
| 38 Series Brushed Smooth Vented Soffit Cut-to-Width | 16 ft. (192 in.) (4.9 m) | 11.94 in. (303 mm) | 0.354 in. (9 mm) | 24 in.          | 46964 |
|   | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 46043 |
|   | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 46044 |

## ExpertFinish® Color Specifications and PIDs:



| COLOR                        | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | MAX SPAN RATING | PID   |
|------------------------------|--------------------------|--------------------|------------------|-----------------|-------|
| Snowscape White Cut-to-Width | 16 ft. (192 in.) (4.9 m) | 11.94 in. (303 mm) | 0.354 in. (9 mm) | 24 in.          | 47030 |
|                              | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 24 in.          | 47031 |
|                              | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 47035 |
| Sand Dunes Cut-to-Width      | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 47034 |
| Quarry Gray Cut-to-Width     | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 47033 |
| Abyss Black Cut-to-Width     | 16 ft. (192 in.) (4.9 m) | 23.94 in. (608 mm) | 0.354 in. (9 mm) | 24 in.          | 47032 |

## 38 SERIES BRUSHED SMOOTH VENTED SOFFIT - CUT-TO-WIDTH



# PANEL SIDING

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series 8" o.c. Panel
- LP® SmartSide® 38 Series No Groove Shiplap Edge (NGSL) Panel
- LP® SmartSide® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel
- LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel (see p. 66 for details)

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements  
No Groove panels can be installed vertically or horizontally; grooved panels are designed for vertical installation only  
Rated for structural use by APA

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Pair our No Groove Panels with LP® SmartSide® trim for board & batten style applications

### Application Instructions:

LPCorp.com/Literature



## 38 Series Panel - Cedar Texture

3/8" Nominal Thickness  
Primed:  
8" o.c. Panel: 6' | 7' | 8' | 9' | 10' | 12'  
NGSL Panel: 8' | 9' | 10'  
NGSE Dual Use Siding and Soffit Panel: 8'


### Primed Specifications and PIDs:

| PRODUCT      | THICKNESS        | WEIGHT  |
|--------------|------------------|---------|
| All products | 0.354 in. (9 mm) | 1.5 PSF |




| PRODUCT   | LENGTH                   | GROOVE     | GROOVE WIDTH    | ACTUAL WIDTH         | MAX SPAN RATING                | PID    |
|---|--------------------------|------------|-----------------|----------------------|--------------------------------|--------|
| 38 Series Cedar Texture 8" o.c. Panel   | 6 ft. (72 in.) (1.8 m)   | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 16 in.                         | 27805  |
|   | 7 ft. (84 in.) (2.1 m)   | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 16 in.                         | 27806  |
|   | 8 ft. (96 in.) (2.4 m)   | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 16 in.                         | 25840  |
|   | 9 ft. (108 in.) (2.7 m)  | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 16 in.                         | 25843  |
|   | 10 ft. (120 in.) (3.0 m) | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 16 in.                         | 25844  |
| 38 Series Cedar Texture No Groove Shiplap Edge (NGSL) Panel**                             | 8 ft. (96 in.) (2.4 m)   | No Groove  | N/A             | 48.56 in. (1 234 mm) | 16 in.                         | 25855* |
|   | 9 ft. (108 in.) (2.7 m)  | No Groove  | N/A             | 48.56 in. (1 234 mm) | 16 in.                         | 29189* |
|   | 10 ft. (120 in.) (3.0 m) | No Groove  | N/A             | 48.56 in. (1 234 mm) | 16 in.                         | 25825* |
| 38 Series Cedar Texture No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel** ★ | 8 ft. (96 in.) (2.4 m)   | No Groove  | N/A             | 47.81 in. (1 214 mm) | 16 in. Siding<br>24 in. Soffit | 41044  |


### 38 SERIES CEDAR TEXTURE PANEL 8" O.C.



### GROOVE DETAIL



### 38 SERIES CEDAR TEXTURE PANEL - NO GROOVE SHIPLAP EDGE



### 38 SERIES CEDAR TEXTURE - NO GROOVE DUAL USE SIDING AND SOFFIT PANEL



★ Can be used in siding or soffit applications

\*Special order item. Requires minimum quantity and extended lead times.  
\*\*Coordinates with LP® SmartSide® Trim for board and batten style applications.  
See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot

# PANEL SIDING

## Cedar Texture

### ExpertFinish® Color Specifications and PIDs:

38 SERIES CEDAR TEXTURE – NO GROOVE  
DUAL USE SIDING AND SOFFIT PANEL



Pair with LP® SmartSide®  
trim for board & batten  
style applications

| PRODUCT  | ACTUAL WIDTH         | THICKNESS        | MAX SPAN RATING               | WEIGHT  |
|--|----------------------|------------------|-------------------------------|---------|
| 38 Series Cedar Texture<br>No Groove Square Edge (NGSE)<br>Dual Use Siding and Soffit Panel* ★ | 47.81 in. (1 214 mm) | 0.354 in. (9 mm) | 16 in. Siding   24 in. Soffit | 1.5 PSF |

| COLOR            | LENGTH                        | PID   |
|------------------|-------------------------------|-------|
| Snowscape White  | 8 ft. (96 in.) (2.4 m)        | 47097 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 47082 |
| Sand Dunes       | 8 ft. (96 in.) (2.4 m)        | 47098 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 47083 |
| Desert Stone     | 8 ft. (96 in.) (2.4 m)        | 47099 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 47084 |
| Quarry Gray      | 8 ft. (96 in.) (2.4 m)        | 47100 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 47085 |
| Prairie Clay     | 8 ft. (96 in.) (2.4 m)        | 47101 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 47086 |
| Terra Brown      | 8 ft. (96 in.) (2.4 m)        | 47102 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 47087 |
| Harvest Honey    | 8 ft. (96 in.) (2.4 m)        | 47103 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 47088 |
| Timberland Suede | 8 ft. (96 in.) (2.4 m)        | 47104 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 47089 |

| COLOR           | LENGTH                        | PID   |
|-----------------|-------------------------------|-------|
| Garden Sage     | 8 ft. (96 in.) (2.4 m)        | 47105 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 47090 |
| Redwood Red     | 8 ft. (96 in.) (2.4 m)        | 47106 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 47091 |
| Tundra Gray     | 8 ft. (96 in.) (2.4 m)        | 47107 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 47092 |
| Summit Blue     | 8 ft. (96 in.) (2.4 m)        | 47108 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 47093 |
| Rapids Blue     | 8 ft. (96 in.) (2.4 m)        | 47109 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 47094 |
| Cavern Steel    | 8 ft. (96 in.) (2.4 m)        | 47110 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 47095 |
| Midnight Shadow | 8 ft. (96 in.) (2.4 m)        | 47111 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 47096 |
| Abyss Black     | 8 ft. (96 in.) (2.4 m)        | 47112 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 47081 |

★ Can be used in siding or soffit applications

\*Coordinates with LP® SmartSide® Trim for board and batten style applications.  
See LPCorp.com for product, warranty, and installation details. PSF = Pounds Per Square Foot  
All colors shown are representative and may not be an exact match.



LP® SmartSide® ExpertFinish® Cedar Texture Panel and Trim (Board & Batten Style) in Quarry Gray

# PANEL SIDING

## Brushed Smooth

### Products:

LP® SmartSide® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel

LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements  
Can be installed vertically or horizontally  
Rated for structural use by APA

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 38 Series Panel - Brushed Smooth

3/8" Nominal Thickness  
Primed - NGSE Dual Use  
Siding & Soffit Panel: 8' | 10'



### Application Instructions:

LPCorp.com/Literature



### Primed Specifications and PIDs:

#### 38 SERIES BRUSHED SMOOTH DUAL USE SIDING AND SOFFIT PANEL



| PRODUCT   | LENGTH                   | ACTUAL WIDTH         | THICKNESS        | MAX SPAN RATING                | WEIGHT  | PID    |
|---|--------------------------|----------------------|------------------|--------------------------------|---------|--------|
| 38 Series Brushed Smooth No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel**★ | 8 ft. (96 in.) (2.4 m)   | 47.81 in. (1 214 mm) | 0.354 in. (9 mm) | 16 in. Siding<br>24 in. Soffit | 1.5 PSF | 46008* |
|   | 10 ft. (120 in.) (3.0 m) | 47.81 in. (1 214 mm) | 0.354 in. (9 mm) | 16 in. Siding<br>24 in. Soffit | 1.5 PSF | 46650* |

★ Can be used in siding or soffit applications

\*Special order item; Requires minimum quantity and extended lead times.  
\*\*Coordinates with LP® SmartSide® Trim for board and batten style applications.  
See LPCorp.com for product, warranty, and installation details. Metric units are rounded.

## 38 Series Panel - Brushed Smooth

3/8" Nominal Thickness  
Prefinished - NGSE Dual Use  
Siding & Soffit Panel: 8' | 10'




### ExpertFinish® Color Specifications and PIDs:

| PRODUCT  | ACTUAL WIDTH         | THICKNESS        | MAX SPAN RATING               | WEIGHT  |
|--|----------------------|------------------|-------------------------------|---------|
| 38 Series Brushed Smooth No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel*★ | 47.81 in. (1 214 mm) | 0.354 in. (9 mm) | 16 in. Siding   24 in. Soffit | 1.5 PSF |

| COLOR            | LENGTH                        | PID   |
|------------------|-------------------------------|-------|
| Snowscape White  | 8 ft. (96 in.) (2.4 m)        | 45893 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 46655 |
| Sand Dunes       | 8 ft. (96 in.) (2.4 m)        | 45892 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 46656 |
| Desert Stone     | 8 ft. (96 in.) (2.4 m)        | 45884 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 46664 |
| Quarry Gray      | 8 ft. (96 in.) (2.4 m)        | 45889 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 46659 |
| Prairie Clay     | 8 ft. (96 in.) (2.4 m)        | 45888 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 46660 |
| Terra Brown      | 8 ft. (96 in.) (2.4 m)        | 45968 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 46653 |
| Harvest Honey    | 8 ft. (96 in.) (2.4 m)        | 45886 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 46662 |
| Timberland Suede | 8 ft. (96 in.) (2.4 m)        | 45896 |
|                  | 10 ft. (119.81 in.) (3043 mm) | 46652 |

| COLOR           | LENGTH                        | PID   |
|-----------------|-------------------------------|-------|
| Garden Sage     | 8 ft. (96 in.) (2.4 m)        | 45885 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 46663 |
| Redwood Red     | 8 ft. (96 in.) (2.4 m)        | 45891 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 46657 |
| Tundra Gray     | 8 ft. (96 in.) (2.4 m)        | 45897 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 46651 |
| Summit Blue     | 8 ft. (96 in.) (2.4 m)        | 45967 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 46654 |
| Rapids Blue     | 8 ft. (96 in.) (2.4 m)        | 45966 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 46658 |
| Cavern Steel    | 8 ft. (96 in.) (2.4 m)        | 45883 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 46665 |
| Midnight Shadow | 8 ft. (96 in.) (2.4 m)        | 45887 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 46661 |
| Abyss Black     | 8 ft. (96 in.) (2.4 m)        | 45882 |
|                 | 10 ft. (119.81 in.) (3043 mm) | 46666 |

#### 38 SERIES BRUSHED SMOOTH DUAL USE SIDING AND SOFFIT PANEL



Pair with LP® SmartSide® trim for board & batten style applications

★ Can be used in siding or soffit applications

\*Coordinates with LP® SmartSide® Trim for board and batten style applications.  
See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot  
All colors shown are representative and may not be an exact match.

# PANEL SIDING

## Cedar Texture

### Products:

- LP® SmartSide® 76 Series 4" and 8" o.c. Panel
- LP® SmartSide® 76 Series No Groove Shiplap Edge Panel

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements  
No Groove panels can be installed vertically or horizontally; grooved panels are designed for vertical installation only  
Rated for structural use by APA

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Pair our No Groove Panels with LP® SmartSide® trim for board & batten style applications

### Application Instructions:

LPCorp.com/Literature



## 76 Series Panel - Cedar Texture

7/16" Nominal Thickness

Primed:

4" o.c.: 8' | 9'

8" o.c.: 8' | 9' | 10'

No Groove Shiplap Edge: 8' | 9' | 10'


### Primed Specifications and PIDs:

| PRODUCT      | THICKNESS           | WEIGHT  | MAX SPAN RATING |
|--------------|---------------------|---------|-----------------|
| All products | 0.418 in. (10.6 mm) | 1.5 PSF | 16 in.          |




| PRODUCT  | LENGTH                   | GROOVE     | GROOVE WIDTH    | ACTUAL WIDTH         | PID    |
|--|--------------------------|------------|-----------------|----------------------|--------|
| 76 Series Cedar Texture Panel 4" o.c.                  | 8 ft. (96 in.) (2.4 m)   | 4 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 25831  |
|  | 9 ft. (108 in.) (2.7 m)  | 4 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 25832* |
| 76 Series Cedar Texture Panel 8" o.c.                  | 8 ft. (96 in.) (2.4 m)   | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 25848  |
|  | 9 ft. (108 in.) (2.7 m)  | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 25850  |
|  | 10 ft. (120 in.) (3.0 m) | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 25851  |
| 76 Series Cedar Texture Panel No Groove Shiplap Edge** | 8 ft. (96 in.) (2.4 m)   | No Groove  | N/A             | 48.56 in. (1 234 mm) | 25856  |
|  | 9 ft. (108 in.) (2.7 m)  | No Groove  | N/A             | 48.56 in. (1 234 mm) | 25857  |
|  | 10 ft. (120 in.) (3.0 m) | No Groove  | N/A             | 48.56 in. (1 234 mm) | 25858  |


#### 76 SERIES CEDAR TEXTURE PANEL 4" & 8" O.C.



#### GROOVE DETAIL



#### 76 SERIES CEDAR TEXTURE PANEL - NO GROOVE SHIPLAP EDGE



\*Special order item. Requires minimum quantity and extended lead times.

\*\*Coordinates with LP® SmartSide® Trim for board and batten applications. See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot

# PANEL SIDING

## Cedar Texture

### Product:

LP® SmartSide® 190 Series Siding Panel

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

Grooved panels are designed for vertical installation only

Rated for structural use by APA



### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Application Instructions:

LPCorp.com/Literature



## 190 Series Panel - Cedar Texture

19/32" Nominal Thickness  
Primed: 8" o.c.: 8' | 9' | 10'


### Primed Specifications and PIDs:

| PRODUCT      | THICKNESS           | WEIGHT | MAX SPAN RATING |
|--------------|---------------------|--------|-----------------|
| All products | 0.578 in. (14.7 mm) | 2 PSF  | 24 in.          |



| PRODUCT                                   | LENGTH                   | GROOVE     | GROOVE WIDTH    | ACTUAL WIDTH         | PID    |
|---|--------------------------|------------|-----------------|----------------------|--------|
| 190 Series Cedar Texture Panel<br>8" o.c. | 8 ft. (96 in.) (2.4 m)   | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 25852  |
|   | 9 ft. (108 in.) (2.7 m)  | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 25853  |
|   | 10 ft. (120 in.) (3.0 m) | 8 in. o.c. | 3/8 in. (10 mm) | 48.56 in. (1 234 mm) | 25854* |

### 190 SERIES CEDAR TEXTURE PANEL 8" O.C.



**Vertical Siding - Cedar Texture**  
3/8" Nominal Thickness  
Primed: 16' x 16"

# VERTICAL SIDING

**Cedar Texture**

**Products:**

- LP® SmartSide® 38 Series Vertical Siding
- LP® SmartSide® ExpertFinish® 38 Series Vertical Siding

**DESIGNED & RATED FOR EXTERIOR USE**

Not rated for structural use. Sheathing-only attachment; see installation instructions for details

**Substrate:**

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



**Sustainability Info:**

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Pair with LP® SmartSide® trim for board & batten style applications

**Primed Specifications and PIDs:**

**38 SERIES CEDAR TEXTURE VERTICAL SIDING**

| PRODUCT                                 | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | WEIGHT  | PID   |
|---|--------------------------|--------------------|------------------|---------|-------|
| 38 Series Cedar Texture Vertical Siding | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 40503 |


**Vertical Siding - Cedar Texture**  
3/8" Nominal Thickness  
Prefinished: 16' x 16"

**ExpertFinish® Color Specifications and PIDs:**



| COLOR            | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | WEIGHT  | PID   |
|------------------|--------------------------|--------------------|------------------|---------|-------|
| Snowscape White  | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 41730 |
| Sand Dunes       | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 41820 |
| Desert Stone     | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 43152 |
| Quarry Gray      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 41819 |
| Prairie Clay     | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 43194 |
| Terra Brown      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 41821 |
| Harvest Honey    | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45381 |
| Timberland Suede | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 43291 |
| Garden Sage      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45382 |
| Redwood Red      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 43232 |
| Tundra Gray      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 43312 |
| Summit Blue      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 43341 |
| Rapids Blue      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 43337 |
| Cavern Steel     | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 43133 |
| Midnight Shadow  | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45383 |
| Abyss Black      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 41775 |
| Washed White     | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46875 |
| Smoky Slate      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46874 |
| Bonsai Black     | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46873 |
| Weathered Walnut | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46872 |
| Aged Amber       | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46871 |
| Saffron Cedar    | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46870 |

**38 SERIES CEDAR TEXTURE VERTICAL SIDING**



See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot  
Contact your LP Sales Rep for product availability.  
All colors shown are representative and may not be an exact match.

**Vertical Siding - Brushed Smooth**

3/8" Nominal Thickness  
Primed: 16' x 16"

# VERTICAL SIDING

**Brushed Smooth**

**Products:**

- LP® SmartSide® 38 Series Vertical Siding
- LP® SmartSide® ExpertFinish® 38 Series Vertical Siding

**DESIGNED & RATED FOR EXTERIOR USE**

Not rated for structural use. Sheathing-only attachment; see installation instructions for details

**Substrate:**

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



**Sustainability Info:**

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



**Application Instructions:**

LPCorp.com/Literature



**Primed Specifications and PIDs:**

**38 SERIES BRUSHED SMOOTH VERTICAL SIDING**

| PRODUCT                                  | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | WEIGHT  | PID   |
|--|--------------------------|--------------------|------------------|---------|-------|
| 38 Series Brushed Smooth Vertical Siding | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46007 |

**Vertical Siding - Brushed Smooth**


3/8" Nominal Thickness  
Prefinished: 16' x 16"

**ExpertFinish® Color Specifications and PIDs:**



| COLOR            | LENGTH                   | ACTUAL WIDTH       | THICKNESS        | WEIGHT  | PID   |
|------------------|--------------------------|--------------------|------------------|---------|-------|
| Snowscape White  | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45877 |
| Sand Dunes       | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45876 |
| Desert Stone     | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45868 |
| Quarry Gray      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45961 |
| Prairie Clay     | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45872 |
| Terra Brown      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45964 |
| Harvest Honey    | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45870 |
| Timberland Suede | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45880 |
| Garden Sage      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45869 |
| Redwood Red      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45875 |
| Tundra Gray      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45965 |
| Summit Blue      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45963 |
| Rapids Blue      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45962 |
| Cavern Steel     | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45959 |
| Midnight Shadow  | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45960 |
| Abyss Black      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 45866 |
| Washed White     | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46869 |
| Smoky Slate      | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46868 |
| Bonsai Black     | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46867 |
| Weathered Walnut | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46866 |
| Aged Amber       | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46865 |
| Saffron Cedar    | 16 ft. (192 in.) (4.9 m) | 15.94 in. (405 mm) | 0.354 in. (9 mm) | 1.5 PSF | 46864 |

**38 SERIES BRUSHED SMOOTH VERTICAL SIDING**



# TRIM

## Cedar Texture

### Products:

LP® SmartSide® 190 Series Trim  
LP® SmartSide® ExpertFinish® 190 Series Trim  
DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



| PRODUCT                       | LENGTH                   | ACTUAL WIDTH      | THICKNESS           | WEIGHT | PID   |
|-------------------------------|--------------------------|-------------------|---------------------|--------|-------|
| 190 Series Cedar Texture Trim | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm)  | 0.578 in. (14.7 mm) | 2 PSF  | 28448 |
|                               | 16 ft. (192 in.) (4.9 m) | 3.50 in. (89 mm)  | 0.578 in. (14.7 mm) | 2 PSF  | 28450 |
|                               | 16 ft. (192 in.) (4.9 m) | 5.50 in. (140 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 28452 |

## 190 Series Trim - Cedar Texture

19/32" Nominal Thickness  
Primed: 3" | 4" | 6"



Cedar Texture

### Application Instructions:

LPCorp.com/Literature



## 190 Series Trim - Cedar Texture


19/32" Nominal Thickness  
Prefinished: 3"

### ExpertFinish® Color Specifications and PIDs:



| COLOR            | LENGTH                   | ACTUAL WIDTH     | THICKNESS           | WEIGHT | PID   |
|------------------|--------------------------|------------------|---------------------|--------|-------|
| Snowscape White  | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46268 |
| Sand Dunes       | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46267 |
| Desert Stone     | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46248 |
| Quarry Gray      | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46264 |
| Prairie Clay     | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46263 |
| Terra Brown      | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46270 |
| Harvest Honey    | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46261 |
| Timberland Suede | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46271 |
| Garden Sage      | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46249 |
| Redwood Red      | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46266 |
| Tundra Gray      | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46272 |
| Summit Blue      | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46269 |
| Rapids Blue      | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46265 |
| Cavern Steel     | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46247 |
| Midnight Shadow  | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46262 |
| Abyss Black      | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46246 |
| Washed White     | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46779 |
| Smoky Slate      | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46777 |
| Bonsai Black     | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46775 |
| Weathered Walnut | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46773 |
| Aged Amber       | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46771 |
| Saffron Cedar    | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  | 46769 |

NEW NATURALS COLLECTION™ TRIM



**190 Series Trim - Brushed Smooth**

19/32" Nominal Thickness  
Prefinished: 3"

# TRIM

## Brushed Smooth

### Products:

LP® SmartSide® ExpertFinish® 190 Series Trim  
DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Brushed Smooth

### Application Instructions:

LPCorp.com/Literature




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### ExpertFinish® Color Specifications and PIDs:



| PRODUCT                        | LENGTH                   | ACTUAL WIDTH     | THICKNESS           | WEIGHT |
|--------------------------------|--------------------------|------------------|---------------------|--------|
| 190 Series Brushed Smooth Trim | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm) | 0.578 in. (14.7 mm) | 2 PSF  |

| COLOR            | PID   |
|------------------|-------|
| Snowscape White  | 45779 |
| Sand Dunes       | 45778 |
| Desert Stone     | 45770 |
| Quarry Gray      | 45775 |
| Prairie Clay     | 45774 |
| Terra Brown      | 45781 |
| Harvest Honey    | 45772 |
| Timberland Suede | 45782 |

| COLOR           | PID   |
|-----------------|-------|
| Garden Sage     | 45771 |
| Redwood Red     | 45777 |
| Tundra Gray     | 45783 |
| Summit Blue     | 45780 |
| Rapids Blue     | 45776 |
| Cavern Steel    | 45769 |
| Midnight Shadow | 45773 |
| Abyss Black     | 45768 |



NEW NATURALS COLLECTION™ TRIM

| COLOR            | PID   |
|------------------|-------|
| Washed White     | 46767 |
| Smoky Slate      | 46765 |
| Bonsai Black     | 46763 |
| Weathered Walnut | 46761 |
| Aged Amber       | 46759 |
| Saffron Cedar    | 46757 |



LP® SmartSide® ExpertFinish® Brushed Smooth Lap and Trim in Tundra Gray; Lap and Trim in Quarry Gray

**440 Series Trim - Cedar Texture**

3/4" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"

# TRIM

## Cedar Texture

### Products:

- LP® SmartSide® 440 Series Trim & Fascia
- LP® SmartSide® ExpertFinish® 440 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Application Instructions:

LPCorp.com/Literature




### Primed Specifications and PIDs:

#### 440 SERIES CEDAR TEXTURE TRIM



#### 440 SERIES CEDAR TEXTURE PLOUGHED FASCIA



| PRODUCT                       | LENGTH                   | ACTUAL WIDTH       | THICKNESS           | WEIGHT | PID    |
|-------------------------------|--------------------------|--------------------|---------------------|--------|--------|
| 440 Series Cedar Texture Trim | 16 ft. (192 in.) (4.9 m) | 1.50 in. (38 mm)   | 0.675 in. (17.1 mm) | 2 PSF  | 25877  |
|                               | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm)   | 0.675 in. (17.1 mm) | 2 PSF  | 25878  |
|                               | 16 ft. (192 in.) (4.9 m) | 3.50 in. (89 mm)   | 0.675 in. (17.1 mm) | 2 PSF  | 25880  |
|                               | 16 ft. (192 in.) (4.9 m) | 5.50 in. (140 mm)  | 0.675 in. (17.1 mm) | 2 PSF  | 25882  |
|                               | 16 ft. (192 in.) (4.9 m) | 7.21 in. (183 mm)  | 0.675 in. (17.1 mm) | 2 PSF  | 25883  |
|                               | 16 ft. (192 in.) (4.9 m) | 9.21 in. (234 mm)  | 0.675 in. (17.1 mm) | 2 PSF  | 25884  |
|                               | 16 ft. (192 in.) (4.9 m) | 11.21 in. (285 mm) | 0.675 in. (17.1 mm) | 2 PSF  | 25885  |
| 440 Series Ploughed Fascia    | 16 ft. (192 in.) (4.9 m) | 5.50 in. (140 mm)  | 0.675 in. (17.1 mm) | 2 PSF  | 27240* |
|                               | 16 ft. (192 in.) (4.9 m) | 7.21 in. (183 mm)  | 0.675 in. (17.1 mm) | 2 PSF  | 27819* |

**440 Series Trim - Cedar Texture**

3/4" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

| COLOR      | LENGTH                   | THICKNESS           | WEIGHT |
|------------|--------------------------|---------------------|--------|
| All colors | 16 ft. (192 in.) (4.9 m) | 0.675 in. (17.1 mm) | 2 PSF  |



| COLOR                         | ACTUAL WIDTH       | PID   | COLOR             | ACTUAL WIDTH       | PID               |       |
|-------------------------------|--------------------|-------|-------------------|--------------------|-------------------|-------|
| Snowscape White               | 3.50 in. (89 mm)   | 42324 | Redwood Red       | 3.50 in. (89 mm)   | 46362             |       |
|                               | 5.50 in. (140 mm)  | 42328 |                   | 5.50 in. (140 mm)  | 46378             |       |
|                               | 7.21 in. (183 mm)  | 46396 |                   | 7.21 in. (183 mm)  | 46394             |       |
|                               | 9.21 in. (234 mm)  | 46412 |                   | 9.21 in. (234 mm)  | 46410             |       |
|                               | 11.21 in. (285 mm) | 46428 |                   | 11.21 in. (285 mm) | 46426             |       |
| Sand Dunes                    | 3.50 in. (89 mm)   | 46363 | Tundra Gray       | 3.50 in. (89 mm)   | 46368             |       |
|                               | 5.50 in. (140 mm)  | 46379 |                   | 5.50 in. (140 mm)  | 46384             |       |
|                               | 7.21 in. (183 mm)  | 46395 |                   | 7.21 in. (183 mm)  | 46400             |       |
|                               | 9.21 in. (234 mm)  | 46411 |                   | 9.21 in. (234 mm)  | 46416             |       |
|                               | 11.21 in. (285 mm) | 46427 |                   | 11.21 in. (285 mm) | 46432             |       |
| Desert Stone                  | 3.50 in. (89 mm)   | 46355 | Summit Blue       | 3.50 in. (89 mm)   | 46365             |       |
|                               | 5.50 in. (140 mm)  | 46371 |                   | 5.50 in. (140 mm)  | 46381             |       |
|                               | 7.21 in. (183 mm)  | 46387 |                   | 7.21 in. (183 mm)  | 46397             |       |
|                               | 9.21 in. (234 mm)  | 46403 |                   | 9.21 in. (234 mm)  | 46413             |       |
|                               | 11.21 in. (285 mm) | 46419 |                   | 11.21 in. (285 mm) | 46429             |       |
| Quarry Gray                   | 3.50 in. (89 mm)   | 46360 | Rapids Blue       | 3.50 in. (89 mm)   | 46361             |       |
|                               | 5.50 in. (140 mm)  | 46376 |                   | 5.50 in. (140 mm)  | 46377             |       |
|                               | 7.21 in. (183 mm)  | 46392 |                   | 7.21 in. (183 mm)  | 46393             |       |
|                               | 9.21 in. (234 mm)  | 46408 |                   | 9.21 in. (234 mm)  | 46409             |       |
|                               | 11.21 in. (285 mm) | 46424 |                   | 11.21 in. (285 mm) | 46425             |       |
| Prairie Clay                  | 3.50 in. (89 mm)   | 46359 | Cavern Steel      | 3.50 in. (89 mm)   | 46354             |       |
|                               | 5.50 in. (140 mm)  | 46375 |                   | 5.50 in. (140 mm)  | 46370             |       |
|                               | 7.21 in. (183 mm)  | 46391 |                   | 7.21 in. (183 mm)  | 46386             |       |
|                               | 9.21 in. (234 mm)  | 46407 |                   | 9.21 in. (234 mm)  | 46402             |       |
|                               | 11.21 in. (285 mm) | 46423 |                   | 11.21 in. (285 mm) | 46418             |       |
| Terra Brown                   | 3.50 in. (89 mm)   | 46366 | Midnight Shadow   | 3.50 in. (89 mm)   | 46358             |       |
|                               | 5.50 in. (140 mm)  | 46382 |                   | 5.50 in. (140 mm)  | 46374             |       |
|                               | 7.21 in. (183 mm)  | 46398 |                   | 7.21 in. (183 mm)  | 46390             |       |
|                               | 9.21 in. (234 mm)  | 46414 |                   | 9.21 in. (234 mm)  | 46406             |       |
|                               | 11.21 in. (285 mm) | 46430 |                   | 11.21 in. (285 mm) | 46422             |       |
| Harvest Honey                 | 3.50 in. (89 mm)   | 46357 | Abyss Black       | 3.50 in. (89 mm)   | 46353             |       |
|                               | 5.50 in. (140 mm)  | 46373 |                   | 5.50 in. (140 mm)  | 46369             |       |
|                               | 7.21 in. (183 mm)  | 46389 |                   | 7.21 in. (183 mm)  | 46385             |       |
|                               | 9.21 in. (234 mm)  | 46405 |                   | 9.21 in. (234 mm)  | 46401             |       |
|                               | 11.21 in. (285 mm) | 46421 |                   | 11.21 in. (285 mm) | 46417             |       |
| Timberland Suede              | 3.50 in. (89 mm)   | 46367 | Washed White      | 3.50 in. (89 mm)   | 46839             |       |
|                               | 5.50 in. (140 mm)  | 46383 |                   | 5.50 in. (140 mm)  | 46863             |       |
|                               | 7.21 in. (183 mm)  | 46399 |                   | Smoky Slate        | 3.50 in. (89 mm)  | 46838 |
|                               | 9.21 in. (234 mm)  | 46415 |                   |                    | 5.50 in. (140 mm) | 46861 |
|                               | 11.21 in. (285 mm) | 46431 |                   | Bonsai Black       | 3.50 in. (89 mm)  | 46837 |
| Garden Sage                   | 3.50 in. (89 mm)   | 46356 | 5.50 in. (140 mm) |                    | 46859             |       |
|                               | 5.50 in. (140 mm)  | 46372 | Weathered Walnut  | 3.50 in. (89 mm)   | 46836             |       |
|                               | 7.21 in. (183 mm)  | 46388 |                   | 5.50 in. (140 mm)  | 46857             |       |
|                               | 9.21 in. (234 mm)  | 46404 |                   | Aged Amber         | 3.50 in. (89 mm)  | 46835 |
|                               | 11.21 in. (285 mm) | 46420 | 5.50 in. (140 mm) |                    | 46855             |       |
| NEW NATURALS COLLECTION™ TRIM |                    |       |                   | Saffron Cedar      | 3.50 in. (89 mm)  | 46834 |
|                               |                    |       |                   |                    | 5.50 in. (140 mm) | 46853 |

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

**440 Series Trim - Brushed Smooth**

3/4" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"

# TRIM

## Brushed Smooth

### Products:

- LP® SmartSide® 440 Series Trim
- LP® SmartSide® ExpertFinish® 440 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Application Instructions:

LPCorp.com/Literature




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:

**440 SERIES BRUSHED SMOOTH TRIM**



| PRODUCT                        | LENGTH                   | ACTUAL WIDTH       | THICKNESS           | WEIGHT | PID   |
|--------------------------------|--------------------------|--------------------|---------------------|--------|-------|
| 440 Series Brushed Smooth Trim | 16 ft. (192 in.) (4.9 m) | 1.50 in. (38 mm)   | 0.675 in. (17.1 mm) | 2 PSF  | 46012 |
|                                | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm)   | 0.675 in. (17.1 mm) | 2 PSF  | 45999 |
|                                | 16 ft. (192 in.) (4.9 m) | 3.50 in. (89 mm)   | 0.675 in. (17.1 mm) | 2 PSF  | 46000 |
|                                | 16 ft. (192 in.) (4.9 m) | 5.50 in. (140 mm)  | 0.675 in. (17.1 mm) | 2 PSF  | 46001 |
|                                | 16 ft. (192 in.) (4.9 m) | 7.21 in. (183 mm)  | 0.675 in. (17.1 mm) | 2 PSF  | 46002 |
|                                | 16 ft. (192 in.) (4.9 m) | 9.21 in. (234 mm)  | 0.675 in. (17.1 mm) | 2 PSF  | 46003 |
|                                | 16 ft. (192 in.) (4.9 m) | 11.21 in. (285 mm) | 0.675 in. (17.1 mm) | 2 PSF  | 46004 |

**440 Series Trim - Brushed Smooth**

3/4" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

| COLOR      | LENGTH                   | THICKNESS           | WEIGHT |
|------------|--------------------------|---------------------|--------|
| All colors | 16 ft. (192 in.) (4.9 m) | 0.675 in. (17.1 mm) | 2 PSF  |



| COLOR                         | ACTUAL WIDTH       | PID               | COLOR            | ACTUAL WIDTH       | PID   |
|-------------------------------|--------------------|-------------------|------------------|--------------------|-------|
| Snowscape White               | 3.50 in. (89 mm)   | 45795             | Redwood Red      | 3.50 in. (89 mm)   | 45793 |
|                               | 5.50 in. (140 mm)  | 45811             |                  | 5.50 in. (140 mm)  | 45809 |
|                               | 7.21 in. (183 mm)  | 45827             |                  | 7.21 in. (183 mm)  | 45825 |
|                               | 9.21 in. (234 mm)  | 45843             |                  | 9.21 in. (234 mm)  | 45841 |
|                               | 11.21 in. (285 mm) | 45859             |                  | 11.21 in. (285 mm) | 45857 |
| Sand Dunes                    | 3.50 in. (89 mm)   | 45794             | Tundra Gray      | 3.50 in. (89 mm)   | 45799 |
|                               | 5.50 in. (140 mm)  | 45810             |                  | 5.50 in. (140 mm)  | 45815 |
|                               | 7.21 in. (183 mm)  | 45826             |                  | 7.21 in. (183 mm)  | 45831 |
|                               | 9.21 in. (234 mm)  | 45842             |                  | 9.21 in. (234 mm)  | 45847 |
|                               | 11.21 in. (285 mm) | 45858             |                  | 11.21 in. (285 mm) | 45863 |
| Desert Stone                  | 3.50 in. (89 mm)   | 45786             | Summit Blue      | 3.50 in. (89 mm)   | 45796 |
|                               | 5.50 in. (140 mm)  | 45802             |                  | 5.50 in. (140 mm)  | 45812 |
|                               | 7.21 in. (183 mm)  | 45818             |                  | 7.21 in. (183 mm)  | 45828 |
|                               | 9.21 in. (234 mm)  | 45834             |                  | 9.21 in. (234 mm)  | 45844 |
|                               | 11.21 in. (285 mm) | 45850             |                  | 11.21 in. (285 mm) | 45860 |
| Quarry Gray                   | 3.50 in. (89 mm)   | 45791             | Rapids Blue      | 3.50 in. (89 mm)   | 45792 |
|                               | 5.50 in. (140 mm)  | 45807             |                  | 5.50 in. (140 mm)  | 45808 |
|                               | 7.21 in. (183 mm)  | 45823             |                  | 7.21 in. (183 mm)  | 45824 |
|                               | 9.21 in. (234 mm)  | 45839             |                  | 9.21 in. (234 mm)  | 45840 |
|                               | 11.21 in. (285 mm) | 45855             |                  | 11.21 in. (285 mm) | 45856 |
| Prairie Clay                  | 3.50 in. (89 mm)   | 45790             | Cavern Steel     | 3.50 in. (89 mm)   | 45785 |
|                               | 5.50 in. (140 mm)  | 45806             |                  | 5.50 in. (140 mm)  | 45801 |
|                               | 7.21 in. (183 mm)  | 45822             |                  | 7.21 in. (183 mm)  | 45817 |
|                               | 9.21 in. (234 mm)  | 45838             |                  | 9.21 in. (234 mm)  | 45833 |
|                               | 11.21 in. (285 mm) | 45854             |                  | 11.21 in. (285 mm) | 45849 |
| Terra Brown                   | 3.50 in. (89 mm)   | 45797             | Midnight Shadow  | 3.50 in. (89 mm)   | 45789 |
|                               | 5.50 in. (140 mm)  | 45813             |                  | 5.50 in. (140 mm)  | 45805 |
|                               | 7.21 in. (183 mm)  | 45829             |                  | 7.21 in. (183 mm)  | 45821 |
|                               | 9.21 in. (234 mm)  | 45845             |                  | 9.21 in. (234 mm)  | 45837 |
|                               | 11.21 in. (285 mm) | 45861             |                  | 11.21 in. (285 mm) | 45853 |
| Harvest Honey                 | 3.50 in. (89 mm)   | 45788             | Abyss Black      | 3.50 in. (89 mm)   | 45784 |
|                               | 5.50 in. (140 mm)  | 45804             |                  | 5.50 in. (140 mm)  | 45800 |
|                               | 7.21 in. (183 mm)  | 45820             |                  | 7.21 in. (183 mm)  | 45816 |
|                               | 9.21 in. (234 mm)  | 45836             |                  | 9.21 in. (234 mm)  | 45832 |
|                               | 11.21 in. (285 mm) | 45852             |                  | 11.21 in. (285 mm) | 45848 |
| Timberland Suede              | 3.50 in. (89 mm)   | 45798             | Washed White     | 3.50 in. (89 mm)   | 46833 |
|                               | 5.50 in. (140 mm)  | 45814             |                  | 5.50 in. (140 mm)  | 46851 |
|                               | 7.21 in. (183 mm)  | 45830             |                  | 7.21 in. (183 mm)  | 46832 |
|                               | 9.21 in. (234 mm)  | 45846             |                  | 9.21 in. (234 mm)  | 46849 |
|                               | 11.21 in. (285 mm) | 45862             |                  | 11.21 in. (285 mm) | 46831 |
| Garden Sage                   | 3.50 in. (89 mm)   | 45787             | Bonsai Black     | 3.50 in. (89 mm)   | 46847 |
|                               | 5.50 in. (140 mm)  | 45803             |                  | 5.50 in. (140 mm)  | 46830 |
|                               | 7.21 in. (183 mm)  | 45819             |                  | 7.21 in. (183 mm)  | 46845 |
|                               | 9.21 in. (234 mm)  | 45835             |                  | 9.21 in. (234 mm)  | 46829 |
|                               | 11.21 in. (285 mm) | 45851             |                  | 11.21 in. (285 mm) | 46843 |
| NEW NATURALS COLLECTION™ TRIM |                    |                   | Weathered Walnut | 3.50 in. (89 mm)   | 46830 |
|                               |                    |                   |                  | 5.50 in. (140 mm)  | 46845 |
|                               |                    |                   |                  | 3.50 in. (89 mm)   | 46829 |
|                               |                    |                   |                  | 5.50 in. (140 mm)  | 46843 |
|                               |                    |                   |                  | 3.50 in. (89 mm)   | 46828 |
|                               |                    | 5.50 in. (140 mm) | 46841            |                    |       |

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

**540 Series Trim - Cedar Texture**

1" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"

# TRIM

## Cedar Texture

### Products:

- LP® SmartSide® 540 Series Trim
- LP® SmartSide® ExpertFinish® 540 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Cedar Texture

### Application Instructions:

LPCorp.com/Literature



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:

**540 SERIES CEDAR TEXTURE TRIM**



| PRODUCT                       | LENGTH                   | ACTUAL WIDTH       | THICKNESS           | WEIGHT | PID    |
|-------------------------------|--------------------------|--------------------|---------------------|--------|--------|
| 540 Series Cedar Texture Trim | 16 ft. (192 in.) (4.9 m) | 1.50 in. (38 mm)   | 0.970 in. (24.6 mm) | 3 PSF  | 25886* |
|                               | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm)   | 0.970 in. (24.6 mm) | 3 PSF  | 25887* |
|                               | 16 ft. (192 in.) (4.9 m) | 3.50 in. (89 mm)   | 0.970 in. (24.6 mm) | 3 PSF  | 25888  |
|                               | 16 ft. (192 in.) (4.9 m) | 5.50 in. (140 mm)  | 0.970 in. (24.6 mm) | 3 PSF  | 25890  |
|                               | 16 ft. (192 in.) (4.9 m) | 7.21 in. (183 mm)  | 0.970 in. (24.6 mm) | 3 PSF  | 25891  |
|                               | 16 ft. (192 in.) (4.9 m) | 9.21 in. (234 mm)  | 0.970 in. (24.6 mm) | 3 PSF  | 25892  |
|                               | 16 ft. (192 in.) (4.9 m) | 11.21 in. (285 mm) | 0.970 in. (24.6 mm) | 3 PSF  | 25893  |

**540 Series Trim - Cedar Texture**

1" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

| COLOR      | LENGTH                   | THICKNESS           | WEIGHT |
|------------|--------------------------|---------------------|--------|
| All colors | 16 ft. (192 in.) (4.9 m) | 0.970 in. (24.6 mm) | 3 PSF  |



| COLOR                         | ACTUAL WIDTH       | PID   | COLOR             | ACTUAL WIDTH       | PID               |       |
|-------------------------------|--------------------|-------|-------------------|--------------------|-------------------|-------|
| Snowscape White               | 3.50 in. (89 mm)   | 42312 | Redwood Red       | 3.50 in. (89 mm)   | 46282             |       |
|                               | 5.50 in. (140 mm)  | 42316 |                   | 5.50 in. (140 mm)  | 46298             |       |
|                               | 7.21 in. (183 mm)  | 46316 |                   | 7.21 in. (183 mm)  | 46314             |       |
|                               | 9.21 in. (234 mm)  | 46332 |                   | 9.21 in. (234 mm)  | 46330             |       |
|                               | 11.21 in. (285 mm) | 46348 |                   | 11.21 in. (285 mm) | 46346             |       |
| Sand Dunes                    | 3.50 in. (89 mm)   | 46283 | Tundra Gray       | 3.50 in. (89 mm)   | 46288             |       |
|                               | 5.50 in. (140 mm)  | 46299 |                   | 5.50 in. (140 mm)  | 46304             |       |
|                               | 7.21 in. (183 mm)  | 46315 |                   | 7.21 in. (183 mm)  | 46320             |       |
|                               | 9.21 in. (234 mm)  | 46331 |                   | 9.21 in. (234 mm)  | 46336             |       |
|                               | 11.21 in. (285 mm) | 46347 |                   | 11.21 in. (285 mm) | 46352             |       |
| Desert Stone                  | 3.50 in. (89 mm)   | 46275 | Summit Blue       | 3.50 in. (89 mm)   | 46285             |       |
|                               | 5.50 in. (140 mm)  | 46291 |                   | 5.50 in. (140 mm)  | 46301             |       |
|                               | 7.21 in. (183 mm)  | 46307 |                   | 7.21 in. (183 mm)  | 46317             |       |
|                               | 9.21 in. (234 mm)  | 46323 |                   | 9.21 in. (234 mm)  | 46333             |       |
|                               | 11.21 in. (285 mm) | 46339 |                   | 11.21 in. (285 mm) | 46349             |       |
| Quarry Gray                   | 3.50 in. (89 mm)   | 46280 | Rapids Blue       | 3.50 in. (89 mm)   | 46281             |       |
|                               | 5.50 in. (140 mm)  | 46296 |                   | 5.50 in. (140 mm)  | 46297             |       |
|                               | 7.21 in. (183 mm)  | 46312 |                   | 7.21 in. (183 mm)  | 46313             |       |
|                               | 9.21 in. (234 mm)  | 46328 |                   | 9.21 in. (234 mm)  | 46329             |       |
|                               | 11.21 in. (285 mm) | 46344 |                   | 11.21 in. (285 mm) | 46345             |       |
| Prairie Clay                  | 3.50 in. (89 mm)   | 46279 | Cavern Steel      | 3.50 in. (89 mm)   | 46274             |       |
|                               | 5.50 in. (140 mm)  | 46295 |                   | 5.50 in. (140 mm)  | 46290             |       |
|                               | 7.21 in. (183 mm)  | 46311 |                   | 7.21 in. (183 mm)  | 46306             |       |
|                               | 9.21 in. (234 mm)  | 46327 |                   | 9.21 in. (234 mm)  | 46322             |       |
|                               | 11.21 in. (285 mm) | 46343 |                   | 11.21 in. (285 mm) | 46338             |       |
| Terra Brown                   | 3.50 in. (89 mm)   | 46286 | Midnight Shadow   | 3.50 in. (89 mm)   | 46278             |       |
|                               | 5.50 in. (140 mm)  | 46302 |                   | 5.50 in. (140 mm)  | 46294             |       |
|                               | 7.21 in. (183 mm)  | 46318 |                   | 7.21 in. (183 mm)  | 46310             |       |
|                               | 9.21 in. (234 mm)  | 46334 |                   | 9.21 in. (234 mm)  | 46326             |       |
|                               | 11.21 in. (285 mm) | 46350 |                   | 11.21 in. (285 mm) | 46342             |       |
| Harvest Honey                 | 3.50 in. (89 mm)   | 46277 | Abyss Black       | 3.50 in. (89 mm)   | 46273             |       |
|                               | 5.50 in. (140 mm)  | 46293 |                   | 5.50 in. (140 mm)  | 46289             |       |
|                               | 7.21 in. (183 mm)  | 46309 |                   | 7.21 in. (183 mm)  | 46305             |       |
|                               | 9.21 in. (234 mm)  | 46325 |                   | 9.21 in. (234 mm)  | 46321             |       |
|                               | 11.21 in. (285 mm) | 46341 |                   | 11.21 in. (285 mm) | 46337             |       |
| Timberland Suede              | 3.50 in. (89 mm)   | 46287 | Washed White      | 3.50 in. (89 mm)   | 46803             |       |
|                               | 5.50 in. (140 mm)  | 46303 |                   | 5.50 in. (140 mm)  | 46827             |       |
|                               | 7.21 in. (183 mm)  | 46319 |                   | Smoky Slate        | 3.50 in. (89 mm)  | 46801 |
|                               | 9.21 in. (234 mm)  | 46335 |                   |                    | 5.50 in. (140 mm) | 46825 |
|                               | 11.21 in. (285 mm) | 46351 |                   | Bonsai Black       | 3.50 in. (89 mm)  | 46799 |
| Garden Sage                   | 3.50 in. (89 mm)   | 46276 | 5.50 in. (140 mm) |                    | 46823             |       |
|                               | 5.50 in. (140 mm)  | 46292 | Weathered Walnut  | 3.50 in. (89 mm)   | 46797             |       |
|                               | 7.21 in. (183 mm)  | 46308 |                   | 5.50 in. (140 mm)  | 46821             |       |
|                               | 9.21 in. (234 mm)  | 46324 | Aged Amber        | 3.50 in. (89 mm)   | 46795             |       |
|                               | 11.21 in. (285 mm) | 46340 |                   | 5.50 in. (140 mm)  | 46819             |       |
| NEW NATURALS COLLECTION™ TRIM |                    |       | Saffron Cedar     | 3.50 in. (89 mm)   | 46793             |       |
|                               |                    |       |                   | 5.50 in. (140 mm)  | 46817             |       |

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

**540 Series Trim - Brushed Smooth**

1" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"

# TRIM

## Brushed Smooth

### Products:

- LP® SmartSide® 540 Series Trim
- LP® SmartSide® ExpertFinish® 540 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



| PRODUCT                        | LENGTH                   | ACTUAL WIDTH       | THICKNESS           | WEIGHT | PID   |
|--------------------------------|--------------------------|--------------------|---------------------|--------|-------|
| 540 Series Brushed Smooth Trim | 16 ft. (192 in.) (4.9 m) | 1.50 in. (38 mm)   | 0.970 in. (24.6 mm) | 3 PSF  | 46011 |
|                                | 16 ft. (192 in.) (4.9 m) | 2.50 in. (64 mm)   | 0.970 in. (24.6 mm) | 3 PSF  | 46010 |
|                                | 16 ft. (192 in.) (4.9 m) | 3.50 in. (89 mm)   | 0.970 in. (24.6 mm) | 3 PSF  | 45992 |
|                                | 16 ft. (192 in.) (4.9 m) | 5.50 in. (140 mm)  | 0.970 in. (24.6 mm) | 3 PSF  | 45993 |
|                                | 16 ft. (192 in.) (4.9 m) | 7.21 in. (183 mm)  | 0.970 in. (24.6 mm) | 3 PSF  | 45995 |
|                                | 16 ft. (192 in.) (4.9 m) | 9.21 in. (234 mm)  | 0.970 in. (24.6 mm) | 3 PSF  | 45997 |
|                                | 16 ft. (192 in.) (4.9 m) | 11.21 in. (285 mm) | 0.970 in. (24.6 mm) | 3 PSF  | 45998 |

**540 Series Trim - Brushed Smooth**

1" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

| COLOR      | LENGTH                   | THICKNESS           | WEIGHT |
|------------|--------------------------|---------------------|--------|
| All colors | 16 ft. (192 in.) (4.9 m) | 0.970 in. (24.6 mm) | 3 PSF  |



| COLOR                         | ACTUAL WIDTH       | PID   | COLOR             | ACTUAL WIDTH       | PID               |                   |       |
|-------------------------------|--------------------|-------|-------------------|--------------------|-------------------|-------------------|-------|
| Snowscape White               | 3.50 in. (89 mm)   | 45699 | Redwood Red       | 3.50 in. (89 mm)   | 45697             |                   |       |
|                               | 5.50 in. (140 mm)  | 45715 |                   | 5.50 in. (140 mm)  | 45713             |                   |       |
|                               | 7.21 in. (183 mm)  | 45731 |                   | 7.21 in. (183 mm)  | 45729             |                   |       |
|                               | 9.21 in. (234 mm)  | 45747 |                   | 9.21 in. (234 mm)  | 45745             |                   |       |
|                               | 11.21 in. (285 mm) | 45763 |                   | 11.21 in. (285 mm) | 45761             |                   |       |
| Sand Dunes                    | 3.50 in. (89 mm)   | 45698 | Tundra Gray       | 3.50 in. (89 mm)   | 45703             |                   |       |
|                               | 5.50 in. (140 mm)  | 45714 |                   | 5.50 in. (140 mm)  | 45719             |                   |       |
|                               | 7.21 in. (183 mm)  | 45730 |                   | 7.21 in. (183 mm)  | 45735             |                   |       |
|                               | 9.21 in. (234 mm)  | 45746 |                   | 9.21 in. (234 mm)  | 45751             |                   |       |
|                               | 11.21 in. (285 mm) | 45762 |                   | 11.21 in. (285 mm) | 45767             |                   |       |
| Desert Stone                  | 3.50 in. (89 mm)   | 45690 | Summit Blue       | 3.50 in. (89 mm)   | 45700             |                   |       |
|                               | 5.50 in. (140 mm)  | 45706 |                   | 5.50 in. (140 mm)  | 45716             |                   |       |
|                               | 7.21 in. (183 mm)  | 45722 |                   | 7.21 in. (183 mm)  | 45732             |                   |       |
|                               | 9.21 in. (234 mm)  | 45738 |                   | 9.21 in. (234 mm)  | 45748             |                   |       |
|                               | 11.21 in. (285 mm) | 45754 |                   | 11.21 in. (285 mm) | 45764             |                   |       |
| Quarry Gray                   | 3.50 in. (89 mm)   | 45695 | Rapids Blue       | 3.50 in. (89 mm)   | 45696             |                   |       |
|                               | 5.50 in. (140 mm)  | 45711 |                   | 5.50 in. (140 mm)  | 45712             |                   |       |
|                               | 7.21 in. (183 mm)  | 45727 |                   | 7.21 in. (183 mm)  | 45728             |                   |       |
|                               | 9.21 in. (234 mm)  | 45743 |                   | 9.21 in. (234 mm)  | 45744             |                   |       |
|                               | 11.21 in. (285 mm) | 45759 |                   | 11.21 in. (285 mm) | 45760             |                   |       |
| Prairie Clay                  | 3.50 in. (89 mm)   | 45694 | Cavern Steel      | 3.50 in. (89 mm)   | 45689             |                   |       |
|                               | 5.50 in. (140 mm)  | 45710 |                   | 5.50 in. (140 mm)  | 45705             |                   |       |
|                               | 7.21 in. (183 mm)  | 45726 |                   | 7.21 in. (183 mm)  | 45721             |                   |       |
|                               | 9.21 in. (234 mm)  | 45742 |                   | 9.21 in. (234 mm)  | 45737             |                   |       |
|                               | 11.21 in. (285 mm) | 45758 |                   | 11.21 in. (285 mm) | 45753             |                   |       |
| Terra Brown                   | 3.50 in. (89 mm)   | 45701 | Midnight Shadow   | 3.50 in. (89 mm)   | 45693             |                   |       |
|                               | 5.50 in. (140 mm)  | 45717 |                   | 5.50 in. (140 mm)  | 45709             |                   |       |
|                               | 7.21 in. (183 mm)  | 45733 |                   | 7.21 in. (183 mm)  | 45725             |                   |       |
|                               | 9.21 in. (234 mm)  | 45749 |                   | 9.21 in. (234 mm)  | 45741             |                   |       |
|                               | 11.21 in. (285 mm) | 45765 |                   | 11.21 in. (285 mm) | 45757             |                   |       |
| Harvest Honey                 | 3.50 in. (89 mm)   | 45692 | Abyss Black       | 3.50 in. (89 mm)   | 45688             |                   |       |
|                               | 5.50 in. (140 mm)  | 45708 |                   | 5.50 in. (140 mm)  | 45704             |                   |       |
|                               | 7.21 in. (183 mm)  | 45724 |                   | 7.21 in. (183 mm)  | 45720             |                   |       |
|                               | 9.21 in. (234 mm)  | 45740 |                   | 9.21 in. (234 mm)  | 45736             |                   |       |
|                               | 11.21 in. (285 mm) | 45756 |                   | 11.21 in. (285 mm) | 45752             |                   |       |
| Timberland Suede              | 3.50 in. (89 mm)   | 45702 | Washed White      | 3.50 in. (89 mm)   | 46791             |                   |       |
|                               | 5.50 in. (140 mm)  | 45718 |                   | 5.50 in. (140 mm)  | 46815             |                   |       |
|                               | 7.21 in. (183 mm)  | 45734 |                   | Smoky Slate        | 3.50 in. (89 mm)  | 46789             |       |
|                               | 9.21 in. (234 mm)  | 45750 |                   |                    | 5.50 in. (140 mm) | 46813             |       |
|                               | 11.21 in. (285 mm) | 45766 |                   | Bonsai Black       | 3.50 in. (89 mm)  | 46787             |       |
| Garden Sage                   | 3.50 in. (89 mm)   | 45691 | 5.50 in. (140 mm) |                    | 46811             |                   |       |
|                               | 5.50 in. (140 mm)  | 45707 | Weathered Walnut  | 3.50 in. (89 mm)   | 46785             |                   |       |
|                               | 7.21 in. (183 mm)  | 45723 |                   | 5.50 in. (140 mm)  | 46809             |                   |       |
|                               | 9.21 in. (234 mm)  | 45739 | Aged Amber        | 3.50 in. (89 mm)   | 46783             |                   |       |
|                               | 11.21 in. (285 mm) | 45755 |                   | 5.50 in. (140 mm)  | 46807             |                   |       |
| NEW NATURALS COLLECTION™ TRIM |                    |       |                   |                    | Saffron Cedar     | 3.50 in. (89 mm)  | 46781 |
|                               |                    |       |                   |                    |                   | 5.50 in. (140 mm) | 46805 |

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

# OUTSIDE CORNER

## Cedar Texture

### Products:

LP® SmartSide® 540 Series Outside Corner  
LP® SmartSide® ExpertFinish® 540 Series Outside Corner  
DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



| PRODUCT                                 | LENGTH                | ACTUAL WIDTH         | THICKNESS           | PID   |
|---|-----------------------|----------------------|---------------------|-------|
| 540 Series Cedar Texture Outside Corner | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47113 |
|   | 16' (192 in.) (4.9 m) | 5.625 in. (142.8 mm) | 0.970 in. (24.6 mm) | 47114 |

**Outside Corner - Cedar Texture**  
1" Nominal Thickness  
Primed: 4" | 6"



**Application Instructions:**  
LPCorp.com/Literature

### Accessories Warranty:

Primed: 5/10-Year Prorated Limited Warranty  
Prefinished: 5/10/10-Year Prorated Limited Warranty

**Outside Corner - Cedar Texture**  
1" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:



| COLOR            | LENGTH                | ACTUAL WIDTH         | THICKNESS           | PID   |
|------------------|-----------------------|----------------------|---------------------|-------|
| Snowscape White  | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47149 |
|                  | 16' (192 in.) (4.9 m) | 5.625 in. (142.8 mm) | 0.970 in. (24.6 mm) | 47185 |
| Sand Dunes       | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47153 |
| Desert Stone     | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47155 |
| Quarry Gray      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47157 |
| Prairie Clay     | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47159 |
| Terra Brown      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47161 |
| Harvest Honey    | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47163 |
| Timberland Suede | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47165 |
| Garden Sage      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47167 |
| Redwood Red      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47169 |
| Tundra Gray      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47171 |
| Summit Blue      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47173 |
| Rapids Blue      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47175 |
| Cavern Steel     | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47177 |
| Midnight Shadow  | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47179 |
| Abyss Black      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47151 |
|                  | 16' (192 in.) (4.9 m) | 5.625 in. (142.8 mm) | 0.970 in. (24.6 mm) | 47187 |

# OUTSIDE CORNER

## Brushed Smooth

### Products:

LP® SmartSide® 540 Series Outside Corner  
LP® SmartSide® ExpertFinish® 540 Series Outside Corner  
DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



| PRODUCT                                  | LENGTH                | ACTUAL WIDTH         | THICKNESS           | PID   |
|--|-----------------------|----------------------|---------------------|-------|
| 540 Series Brushed Smooth Outside Corner | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47193 |
|  | 16' (192 in.) (4.9 m) | 5.625 in. (142.8 mm) | 0.970 in. (24.6 mm) | 47192 |

## Outside Corner - Brushed Smooth

1" Nominal Thickness  
Primed: 4" | 6"



### Application Instructions:

LPCorp.com/Literature



### Accessories Warranty:

Primed: 5/10 Year-Prorated Limited Warranty  
Prefinished: 5/10/10-Year Prorated Limited Warranty

## Outside Corner - Brushed Smooth

1" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:



| COLOR            | LENGTH                | ACTUAL WIDTH         | THICKNESS           | PID   |
|------------------|-----------------------|----------------------|---------------------|-------|
| Snowscape White  | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47117 |
|                  | 16' (192 in.) (4.9 m) | 5.625 in. (142.8 mm) | 0.970 in. (24.6 mm) | 47181 |
| Sand Dunes       | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47121 |
| Desert Stone     | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47123 |
| Quarry Gray      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47125 |
| Prairie Clay     | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47127 |
| Terra Brown      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47129 |
| Harvest Honey    | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47131 |
| Timberland Suede | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47133 |
| Garden Sage      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47135 |
| Redwood Red      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47137 |
| Tundra Gray      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47139 |
| Summit Blue      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47141 |
| Rapids Blue      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47143 |
| Cavern Steel     | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47145 |
| Midnight Shadow  | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47147 |
| Abyss Black      | 16' (192 in.) (4.9 m) | 3.625 in. (92.3 mm)  | 0.970 in. (24.6 mm) | 47119 |
|                  | 16' (192 in.) (4.9 m) | 5.625 in. (142.8 mm) | 0.970 in. (24.6 mm) | 47183 |

# J-BLOCK & MINI-SPLIT

## Cedar Texture

### Products:

- LP® SmartSide® J-Block
- LP® SmartSide® Mini-Split
- LP® SmartSide® ExpertFinish® J-Block
- LP® SmartSide® ExpertFinish® Mini-Split

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



| PRODUCT                  | LENGTH            | ACTUAL WIDTH      | THICKNESS           | PID   |
|--------------------------|-------------------|-------------------|---------------------|-------|
| Cedar Texture J-Block    | 7.25 in. (184 mm) | 7.25 in. (184 mm) | 0.970 in. (24.6 mm) | 43509 |
| Cedar Texture Mini-Split | 7.25 in. (184 mm) | 6.75 in. (171 mm) | 0.970 in. (24.6 mm) | 43510 |

### J-Block & Mini-Split - Cedar Texture

Primed:  
7.25" x 7.25" J-Block  
7.25" x 6.75" Mini Split



### Application Instructions:

LPCorp.com/Literature



### Accessories Warranty:

Primed: 5/10-Year Prorated Limited Warranty  
Prefinished: 5/10/10-Year Prorated Limited Warranty

### J-Block & Mini-Split - Cedar Texture

Prefinished:  
7.25" x 7.25" J-Block  
7.25" x 6.75" Mini Split



### ExpertFinish® Color Specifications and PIDs:

#### J-Block

| PRODUCT               | LENGTH            | ACTUAL WIDTH      | THICKNESS           |
|-----------------------|-------------------|-------------------|---------------------|
| Cedar Texture J-Block | 7.25 in. (184 mm) | 7.25 in. (184 mm) | 0.970 in. (24.6 mm) |

| COLOR            | PID   |
|------------------|-------|
| Snowscape White  | 43399 |
| Sand Dunes       | 43401 |
| Desert Stone     | 43402 |
| Quarry Gray      | 43412 |
| Prairie Clay     | 43404 |
| Terra Brown      | 43403 |
| Harvest Honey    | 45436 |
| Timberland Suede | 43405 |

| COLOR           | PID   |
|-----------------|-------|
| Garden Sage     | 45437 |
| Redwood Red     | 43408 |
| Tundra Gray     | 43413 |
| Summit Blue     | 43410 |
| Rapids Blue     | 43411 |
| Cavern Steel    | 43414 |
| Midnight Shadow | 45399 |
| Abyss Black     | 43435 |



#### Mini-Split

| PRODUCT                  | LENGTH           | ACTUAL WIDTH      | THICKNESS           |
|--------------------------|------------------|-------------------|---------------------|
| Cedar Texture Mini-Split | 7.25 in. (184mm) | 6.75 in. (171 mm) | 0.970 in. (24.6 mm) |

| COLOR            | PID   |
|------------------|-------|
| Snowscape White  | 43416 |
| Sand Dunes       | 43417 |
| Desert Stone     | 43418 |
| Quarry Gray      | 43428 |
| Prairie Clay     | 43420 |
| Terra Brown      | 43432 |
| Harvest Honey    | 45438 |
| Timberland Suede | 43421 |

| COLOR           | PID   |
|-----------------|-------|
| Garden Sage     | 45402 |
| Redwood Red     | 43424 |
| Tundra Gray     | 43429 |
| Summit Blue     | 43426 |
| Rapids Blue     | 43427 |
| Cavern Steel    | 43430 |
| Midnight Shadow | 45440 |
| Abyss Black     | 43431 |



Shop now at Amazon.com  
Select products/colors available



# J-BLOCK & MINI-SPLIT

Brushed Smooth

## Products:

LP® SmartSide® ExpertFinish® J-Block  
LP® SmartSide® ExpertFinish® Mini-Split

DESIGNED & RATED FOR EXTERIOR USE


## Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



## Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



**Application Instructions:**  
LPCorp.com/Literature

## Accessories Warranty:

Prefinished: 5/10/10-Year Prorated Limited Warranty

## J-Block & Mini-Split - Brushed Smooth

Prefinished:  
7.25" x 7.25" J-Block  
7.25" x 6.75" Mini Split



## ExpertFinish® Color Specifications and PIDs:

### J-Block

| PRODUCT                | LENGTH            | ACTUAL WIDTH      | THICKNESS          |
|------------------------|-------------------|-------------------|--------------------|
| Brushed Smooth J-Block | 7.25 in. (184 mm) | 7.25 in. (184 mm) | .970 in. (24.6 mm) |

| COLOR            | PID   |
|------------------|-------|
| Snowscape White  | 45925 |
| Sand Dunes       | 45923 |
| Desert Stone     | 45907 |
| Quarry Gray      | 45917 |
| Prairie Clay     | 45915 |
| Terra Brown      | 45929 |
| Harvest Honey    | 45911 |
| Timberland Suede | 45931 |

| COLOR           | PID   |
|-----------------|-------|
| Garden Sage     | 45909 |
| Redwood Red     | 45921 |
| Tundra Gray     | 45933 |
| Summit Blue     | 45927 |
| Rapids Blue     | 45919 |
| Cavern Steel    | 45905 |
| Midnight Shadow | 45913 |
| Abyss Black     | 45903 |

### Mini-Split

| PRODUCT                   | LENGTH            | ACTUAL WIDTH      | THICKNESS          |
|---------------------------|-------------------|-------------------|--------------------|
| Brushed Smooth Mini-Split | 7.25 in. (184 mm) | 6.75 in. (171 mm) | .970 in. (24.6 mm) |

| COLOR            | PID   |
|------------------|-------|
| Snowscape White  | 45953 |
| Sand Dunes       | 45951 |
| Desert Stone     | 45938 |
| Quarry Gray      | 45974 |
| Prairie Clay     | 45945 |
| Terra Brown      | 45980 |
| Harvest Honey    | 45942 |
| Timberland Suede | 45957 |

| COLOR           | PID   |
|-----------------|-------|
| Garden Sage     | 45940 |
| Redwood Red     | 45949 |
| Tundra Gray     | 45982 |
| Summit Blue     | 45978 |
| Rapids Blue     | 45976 |
| Cavern Steel    | 45970 |
| Midnight Shadow | 45972 |
| Abyss Black     | 45935 |

# LAP SIDING

## Coverage Chart All Textures & Colors

| Lap Siding 16' Length<br>Area (sq. ft.) | Reveal (size) |             |               |
|---|---------------|-------------|---------------|
|   | 4-7/8" (6")   | 6-7/8" (8") | 10-7/8" (12") |
| 100                                     | 16 pcs.       | 11 pcs.     | 7 pcs.        |
| 200                                     | 31 pcs.       | 22 pcs.     | 14 pcs.       |
| 300                                     | 47 pcs.       | 33 pcs.     | 21 pcs.       |
| 400                                     | 62 pcs.       | 44 pcs.     | 28 pcs.       |
| 500                                     | 77 pcs.       | 55 pcs.     | 35 pcs.       |
| 600                                     | 93 pcs.       | 66 pcs.     | 42 pcs.       |
| 700                                     | 108 pcs.      | 77 pcs.     | 49 pcs.       |
| 800                                     | 124 pcs.      | 88 pcs.     | 56 pcs.       |
| 900                                     | 139 pcs.      | 99 pcs.     | 63 pcs.       |
| 1000                                    | 154 pcs.      | 110 pcs.    | 69 pcs.       |
| 1500                                    | 231 pcs.      | 164 pcs.    | 104 pcs.      |
| 2000                                    | 308 pcs.      | 219 pcs.    | 138 pcs.      |
| 2500                                    | 385 pcs.      | 273 pcs.    | 173 pcs.      |
| 3000                                    | 462 pcs.      | 328 pcs.    | 207 pcs.      |
| 3500                                    | 539 pcs.      | 382 pcs.    | 242 pcs.      |
| 4000                                    | 616 pcs.      | 437 pcs.    | 276 pcs.      |
| 4500                                    | 693 pcs.      | 491 pcs.    | 311 pcs.      |
| 5000                                    | 770 pcs.      | 546 pcs.    | 345 pcs.      |

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



# NICKEL GAP

## Coverage Chart All Textures & Colors

| Nickel Gap 16' Length<br>Area (sq. ft.) | Reveal (size) |
|---|---------------|
|   | 6-7/8" (7")   |
| 100                                     | 11 pcs.       |
| 200                                     | 22 pcs.       |
| 300                                     | 33 pcs.       |
| 400                                     | 44 pcs.       |
| 500                                     | 55 pcs.       |
| 600                                     | 66 pcs.       |
| 700                                     | 77 pcs.       |
| 800                                     | 88 pcs.       |
| 900                                     | 99 pcs.       |
| 1000                                    | 110 pcs.      |
| 1500                                    | 164 pcs.      |
| 2000                                    | 219 pcs.      |
| 2500                                    | 273 pcs.      |
| 3000                                    | 328 pcs.      |
| 3500                                    | 382 pcs.      |
| 4000                                    | 437 pcs.      |
| 4500                                    | 491 pcs.      |
| 5000                                    | 546 pcs.      |

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



# SHAKES

## Coverage Chart All Textures & Colors

| Cedar Texture Shakes 4' Length | Reveal (size) |           |
|--------------------------------|---------------|-----------|
|                                | 7" (12")      | 10" (12") |
| Area (sq. ft.)                 |               |           |
| 100                            | 44 pcs.       | 31 pcs.   |
| 200                            | 88 pcs.       | 61 pcs.   |
| 300                            | 131 pcs.      | 92 pcs.   |
| 400                            | 175 pcs.      | 122 pcs.  |
| 500                            | 219 pcs.      | 152 pcs.  |
| 600                            | 262 pcs.      | 183 pcs.  |
| 700                            | 306 pcs.      | 213 pcs.  |
| 800                            | 350 pcs.      | 244 pcs.  |
| 900                            | 393 pcs.      | 274 pcs.  |
| 1000                           | 437 pcs.      | 304 pcs.  |
| 1500                           | 655 pcs.      | 456 pcs.  |
| 2000                           | 873 pcs.      | 608 pcs.  |
| 2500                           | 1091 pcs.     | 760 pcs.  |
| 3000                           | 1310 pcs.     | 912 pcs.  |
| 3500                           | 1528 pcs.     | 1064 pcs. |
| 4000                           | 1746 pcs.     | 1216 pcs. |
| 4500                           | 1964 pcs.     | 1368 pcs. |
| 5000                           | 2182 pcs.     | 1519 pcs. |

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



# PANEL

## Coverage Chart All Textures & Colors

| Panel Siding   | Reveal (size) |          |          |          |
|----------------|---------------|----------|----------|----------|
|                | 4' x 8'       | 4' x 9'  | 4' x 10' | 4' x 12' |
| Area (sq. ft.) |               |          |          |          |
| 100            | 4 pcs.        | 3 pcs.   | 3 pcs.   | 3 pcs.   |
| 200            | 7 pcs.        | 6 pcs.   | 5 pcs.   | 5 pcs.   |
| 300            | 10 pcs.       | 9 pcs.   | 8 pcs.   | 7 pcs.   |
| 400            | 13 pcs.       | 12 pcs.  | 10 pcs.  | 9 pcs.   |
| 500            | 16 pcs.       | 14 pcs.  | 13 pcs.  | 11 pcs.  |
| 600            | 19 pcs.       | 17 pcs.  | 15 pcs.  | 13 pcs.  |
| 700            | 22 pcs.       | 20 pcs.  | 18 pcs.  | 15 pcs.  |
| 800            | 25 pcs.       | 23 pcs.  | 20 pcs.  | 17 pcs.  |
| 900            | 29 pcs.       | 25 pcs.  | 23 pcs.  | 19 pcs.  |
| 1000           | 32 pcs.       | 28 pcs.  | 25 pcs.  | 21 pcs.  |
| 1500           | 47 pcs.       | 42 pcs.  | 38 pcs.  | 32 pcs.  |
| 2000           | 63 pcs.       | 56 pcs.  | 50 pcs.  | 42 pcs.  |
| 2500           | 79 pcs.       | 70 pcs.  | 63 pcs.  | 53 pcs.  |
| 3000           | 94 pcs.       | 84 pcs.  | 75 pcs.  | 63 pcs.  |
| 3500           | 110 pcs.      | 98 pcs.  | 88 pcs.  | 73 pcs.  |
| 4000           | 125 pcs.      | 112 pcs. | 100 pcs. | 84 pcs.  |
| 4500           | 141 pcs.      | 125 pcs. | 113 pcs. | 94 pcs.  |
| 5000           | 157 pcs.      | 139 pcs. | 125 pcs. | 105 pcs. |

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



# VERTICAL SIDING

## Coverage Chart All Textures & Colors

| Vertical Siding | Reveal (size)  |
|-----------------|----------------|
| Area (sq. ft.)  | 5-15/16" (16") |
| 100             | 5 pcs.         |
| 200             | 10 pcs.        |
| 300             | 15 pcs.        |
| 400             | 19 pcs.        |
| 500             | 24 pcs.        |
| 600             | 29 pcs.        |
| 700             | 33 pcs.        |
| 800             | 38 pcs.        |
| 900             | 43 pcs.        |
| 1000            | 48 pcs.        |
| 1500            | 71 pcs.        |
| 2000            | 95 pcs.        |
| 2500            | 118 pcs.       |
| 3000            | 142 pcs.       |
| 3500            | 165 pcs.       |
| 4000            | 189 pcs.       |
| 4500            | 212 pcs.       |
| 5000            | 236 pcs.       |

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



# BUILD BETTER WITH LP BUILDING SOLUTIONS.



## Building a Better World™

LP's mission is to provide an innovative and sustainable portfolio of high-quality products that help our customers build beautiful, durable homes and structures. With a united spirit of discovery, LP is forging ahead with innovative ideas to create new products that make a difference in the world.





**SIDING THAT PERFORMS UNDER PRESSURE.**

**THAT'S SMART.**



For more information, visit [LPCorp.com/SmartSide](https://LPCorp.com/SmartSide)



@LP\_Prof



LP Building Solutions for Professionals



LP Building Solutions

**WARNING:** Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to [www.P65Warnings.ca.gov/wood](http://www.P65Warnings.ca.gov/wood).

© 2025 Louisiana-Pacific Corporation. Sustainable Forestry Initiative, SFI, and associated logo are registered trademarks of Sustainable Forestry Initiative, Inc. Specifications subject to change without notice.